





AUTOMATIC FLIGHT CONTROL SYSTEMS
SPECIALIST

AFSC- 32550 ,

AFPT 90-325-222

OCCUPATIONAL SURVEY BRANCH
USAF OCCUPATIONAL MEASUREMENT CENTER
LACKLAND AFB TEXAS 78236

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

NO NO.

408 889

DDC

DCCIONICA

NOV 4 1977

DCCIONICA

NOV B

# TABLE OF CONTENTS

	PAGE NUMBER
PREFACE	2
INTRODUCTION	3
DEVELOPMENT OF THE ELECTRONIC PRINCIPLES INVENTORY (EPI)	3
ADMINISTRATION	3
PRESENTATION OF RESULTS	6
APPENDIX	7

Chief, Designational Autway Branch USAs Occupational Resturnment Lenter

NTIS	Ville Section	L
990	6.17 Station	
HMANGE	CONT.	
NYWE.	HOSEK	
BY	The same and the s	-
4.4	OT THE LAB PRICE NOTICE	
4.4	COTON/ASSALABITATION	
DISTRIE	AND DESCRIPTION OF THE PARTY OF	

### PREFACE

This report presents a summary of the results of a detailed Air Force Electronic Principles Survey of the Automatic Flight Control Systems Specialist, AFSC 32550.

The Electronic Principles Inventory (EPI) was developed by Major Thomas J. O'Connor and Mr. Hendrick W. Ruck and the survey data were analyzed by Captain Frederick B. Bower, Jr. All are members of the Occupational Survey Branch, USAF Occupational Measurement Center, Lackland AFB, Texas.

Computer programs for analyzing the data were designed by Dr. Raymond E. Christal, Occupational and Manpower Research Division, Air Force Human Resources Laboratory (AFHRL), and were written by the Project Analysis and Programming Branch, Computational Sciences Division, AFHRL.

Distribution of this report is made upon request to the USAF Occupational Measurement Center, attention of the Chief, Occupational Survey Branch (OMY), Lackland AFB, Texas 78236.

This report has been reviewed and is approved.

JAMES A. TURNER, JR., Colonel, USAF Commander USAF Occupational Measurement Center WALTER E. DRISKILL, Ph.D. Chief, Occupational Survey Branch USAF Occupational Measurement Center

## ELECTRONIC PRINCIPLES OCCUPATIONAL SURVEY REPORT AUTOMATIC FLIGHT CONTROL SYSTEMS SPECIALIST AFSC 32550

#### INTRODUCTION

This report summarizes the results of the administration of the Electronic Principles Inventory to airmen assigned as Automatic Flight Control Systems Specialist (AFSC 32550). The data for this report were collected during the period April through June 1977.

This report describes: (1) development and administration of the survey instrument; and (2) electronic principles used by DAFSC 5-skill level personnel both CONUS and overseas and assigned to selected major commands.

# DEVELOPMENT OF THE ELECTRONIC PRINCIPLES INVENTORY (EPI)

The EPI was developed by personnel from the Occupational Survey Branch who were well qualified in theoretical physics and electronics, as well as in task analysis and survey development. Over 300 maintenance personnel from SAC, TAC, ADC, MAC, and AFCS participated in the development of the inventory. Representing the five ATC training centers, electronics experts who averaged 12 years of maintenance experience and four years of electronic principles instruction experience spent several weeks refining the EPI. In addition, personnel at the Electrical Engineering Department of the USAF Academy and the Air Force Human Resources Laboratory were consulted during the development of the inventory.

The final version of the EPI used in this survey contained 1,257 items in 62 subject matter areas covering all electronic principles training given at the five ATC technical training centers. Table 1 lists the 62 subject areas.

### ADMINISTRATION

The Electronic Principles Inventory was administered by mail to AFSC 32550 airmen worldwide. Responses from 212 individuals represented 20 percent of the total of all AFSC 32550 personnel. Table 2 shows the percentage distribution by major command of the survey incumbents.

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

TABLE 1
EPI SUBJECT AREAS

SEQUENCE OF	TELEGORICALIÓN	BEGINNING ITEM	GPSUM
SUBJECT AREAS	SUBJECT AREA TITLE	NUMBER	PAGE NUMBER
etton of the	MATHEMATICS	Al	2
	DIRECT CURRENT AND VOLTAGE	A15	2
3	RESISTANCE	A24	2
2 3 4	MULTIMETER USES	B52	2 2 2 2 3
and 5 meetings.	ALTERNATING CURRENT	B61	4
6	INDUCTORS AND INDUCTIVE	B67	at yeyrus.
	REACTANCE	a national energy	4
7	CAPACITORS AND CAPACITIVE	C92	. chassands
	REACTANCE	0,72	5
8	TRANSFORMERS	C128	5 6 7
9	MAGNETISM	C171	7
10	RCL CIRCUITS	D185	8
ii	SERIES AND PARALLEL RESONANCE	D229	
	(TIME CONSTANTS)	UZZJ	10
12	FILTERS	D239	10
13	COUPLING	E261	ii
14	SOLDERING	E273	ii
15	RELAYS	E295	12
16	MICROPHONES	F314	12
17	SPEAKERS	F327	13
18	OSCILLOSCOPES	F342	13
19	SEMICONDUCTOR DIODES	G354	13
20	TRANSISTORS	G404	15
21	TRANSISTORS TRANSISTOR AMPLIFIERS	G404 G428	16
22	SOLID-STATE SPECIAL PURPOSE		
	DEVICES	H477	19
23	POWER SUPPLIES	H483	19
24	OSCILLATORS	H512	19
25	MULTIVIBRATORS	1539	20
26	LIMITERS AND CLAMPERS	1555	21
27	ELECTRON TUBES	1565	21
28	ELECTRON TUBE AMPLIFIERS AND CIRCUITS	J609	22
29	SPECIAL PURPOSE ELECTRON	J616	-
	TUBES	0010	23
30	HETERODYNING, MODULATION, AND	J632	TO SECURE
ACTION OF THE PARTY OF THE PART	DEMODULATION AND	A Draw Labor and	23
31	AM SYSTEMS	K638	23
32	FM SYSTEMS	K666	24
	III SISILIS	NOOU	

TABLE 1 (CONTINUED)
EPI SUBJECT AREAS

		BEGINNING	
SEQUENCE OF		ITEM	GPSUM
SUBJECT AREAS	SUBJECT AREA TITLE	NUMBER	PAGE NUMBER
33	NUMBERING SYSTEMS	K685	25
34	LOGIC FUNCTIONS	L695	25
35			
	BOOLEAN EQUATIONS	L708	26
36	COUNTERS	L733	27
37	TIMING CIRCUITS	M757	27
38	USE OF SIGNAL GENERATORS	M769	28
39	MOTORS AND GENERATORS	M779	28
40	METER MOVEMENTS	N808	29
41	SATURABLE REACTORS AND	N818	
	MAGNETIC AMPLIFIERS		29
42	WAVESHAPING CIRCUITS	N834	30
43	SINGLE SIDEBAND SYSTEMS	0845	30
44	PULSE MODULATION SYSTEMS	0875	31
45	ANTENNAS	0914	32
46	TRANSMISSION LINES	P953	34
47	WAVEGUIDES AND CAVITY	P984	
	RESONATORS		35
48	MICROWAVE AMPLIFIERS AND	P1034	
	OSCILLATORS		37
49	REGISTERS	Q1110	39
50	STORAGE DEVICES	Q1117	40
51	DIGITAL TO ANALOG CONVERTERS	Q1126	40
52	PHANTASTRONS	Q1140	41
53	SCHMITT TRIGGERS	R1141	41
54	CABLE FABRICATION	R1144	41
55	INPUT/OUTPUT DEVICES		41
56		S1146	41
57	PHOTO SENSITIVE DEVICES	S1149	41
3/	SYNCHRONOUS VIBRATIONS (CHOPPER CIRCUITS)	S1150	41
58	INFRARED	T1159	41
59	LASERS	T1186	42
60	DISPLAY TUBES	T1220	43
61	PROGRAMMING	U1234	43
62	DB AND POWER RATIOS	U1255	44
02	DO UND LOMEK KWI TOO	01233	44

COMMAND REPRESENTATION OF SURVEY SAMPLE

	325	550
COMMAND	PERCENT ASSIGNED	PERCENT OF SAMPLE
ADC ATC	alarrese annes	I SE
LOG	SAMPERIOR OF	3 08
MAC	29	34
SAC AFSC	29 2	34
TAC	22	22
AAC	12 THISMS VOM AS	1 0
USAFE PACAF	7	3 0
TOTAL	100	100
TOTAL	100	100

Total Assigned - 1072 Total Sampled - 212 Percent Sampled - 20%

## PRESENTATON OF RESULTS

Personnel responded "yes" or "no" to the 1,257 electronic principles questions as related to their present job. A Group Summary (GPSUM) computer printout is provided in the Appendix portion of this report. Page 1 of the GPSUM lists the four selected groups identified for this report. Pages 2-44 show the percentage of the incumbents responding to the EPI items. The computer program results display the percent members answering "yes" to the subject area questions. The reader can locate a specific subject area by referring to the Appendix page number as listed in Table 1. For example, the Transformers area results are given on page 6 of the GPSUM. The percentage of survey respondents indicating use of specific electronic principles ranged from high in areas such as Resistance (p. 23) and Soldering (pp. 11-12) to low in areas such as Infrared and Lasers (pp. 41-43). Additional AFSC 325XO data can be obtained upon request to the Chief, Occupational Survey Branch (OMY).

APPENDIX

PET HARS RESPONDING TYEST BY SELECTED GRPS

1 3574 SHOS48

TABULATION OF ELECTRONIC PRINCIPLES UTILIZATION DATA FOR BELECTED GROUPS IN THE 325XD CAREER FIELD.

REPORTS ON THE FOLLOWING GROUPS MERE REQUESTED

CONTAINING	CONTAINING	CONTAINTNE	CONTAINING	CONTAINING	CONTAINING
	IN CONUS	OVERBEAS	10 SAC	TO TAC	ED TO MAC
	32550 STATIONED	24 A 1 04	1 5 5 1 GAL	A 5 5 1 6 K	ASSTER
AFSC	AIRMEN DAFSC 32	36 4 V	AFSC	DAFSC	DAFSC
MEL	ALL	114	ALL	TIE .	ALL
	IDENTITY - \$PC077				

\*\*\*\*\*\*

ME MBE	NE HOE	JOH 3H	TE ROC	Ke HOE!	Mr HBC
~	2		-		4
TAIN	74	TAIR	TAIN	TAIN	ONTAINING
5	S	ບ	S	5	S

PET MARS RESPONDING 17ES! BY SELECTED GRPS TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

SPSUMS PAGE 2

	MATURUATION	COLUMNIA				DIRECT CURRENT AND VOLTAGE		PESICIANCE			
245		Q.	7020	•:	••-	24	****	2222	• • •	2 3	2
	:		****			878	.0000				•
280			1289	. ~*0;	900	5.0		2011		: :	
500	5 L	:							N		•
970	*	2	7757			2					
270	*	*	7-1-			222					
976	2	2	1-2-		• • • •	- 25		2222	::-	: :	2
01-75K	A 1 A1-01 IN YOUR PRESENT JOB, DO YOU USE INSTRUMENTS, SUCH AS METERS OR OSCILLÖSCOPES, IN WHICH IT IS NECESSARY TO APPLIFY OR ATTENDATE VOLTAGE, RESISTANCE, ETC., BY POWERS.	A 2 A1-02 DO YOU USE PUBLICATIONS, SUCH AS A TECHNICAL ORDERS OR MAINTEMANCE MANUALS, IN WHICH IT IS NECESSARY FOR YOU TO MULTIPLY OR DIVIDE BY A POWER OF 10 BEFORE YOU CAN APPLY THE INFORMATION FROM THE PUBLICATION IN A USEFUL MAY	TO YOU REARRANGE AND S DO YOU CALCULATE THE S DO YOU SOLVE FOR UNKNO	AC EQUATIONS. AL SYSTEM OF LOGAR. CATIONS ON VECTOR OF	SIME, COSINE, ON TANGENT. AI-12 DO YOU DETERMINE AREA AI-13 DO YOU SOLVE ON USE SI	2 DO YOU USE THE TERM OF 2 DO YOU USE THE TERM OF 2 DO YOU USE THE TERM OF 3 DO YOU USE THE THE TERM OF 3 DO YOU USE THE	DO YOU USE THE TERM DO YOU	DO YOU NORK WITH RESISTANCE DO YOU CLEAN RESISTANCE DO YOU CLEAN RESISTANCE	A 20 A3-05 DO YOU CHECK OWNIC VALUE OR RESISTORS. A 20 A3-05 DO YOU REMOVE OR REPEACE RESISTORS. A 30 A3-07 DO YOU USE ON REPEACE TO TEMPERATURE CORPICIENTS FOR RESISTORS ON ANY TARREST YOU PREPACE.	2019	POTENTIONETER. A 33 A3-10 GO YOU USE RESISTOR COLOR CODES WHICH INDICATE OHMIC VALUE OF RESISTANCE.

PCT M	PET MORS RESPONDING .YES. BY SELECTED GAPS		•	SPSUMS PACE	70.4	-			
TASK	TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING								
	DY-75K	240	3PC 077	976	39C	200	390		
=	AN-11 DO YOU USE RESISTOR COLOR CODES WHICH INDICATE	:	*	\$	:	:	•		
	ASSISTANCE OF RESISTOR COLOR CODES WHICH INDICATE	=	•	•	•	:	2		
*	A3-13 DO VOU MAKE DECISIONS IN WHICH YOU MUST DETERMINE HOW TWO OR MORE BATTERIES MUST BE CONNECTED TOGETHER TO	=	•	=	:	=	12		
1 11	ALCHERT DESCRIPTION OF REFERENCE SCHEMATIC SYMBOLS WHICH	•	•	:	•	:	•		•
:	RESISTANCE FOR SERIES	*	22	*	*	:	-		
	A3-16 DO YOU CALCULATE TOTAL CURRENT FOR SERIES RESISTIVE	=	11	2	:		•		
	A3-17 DO YOU CALCULATE IMDIVIDUAL VOLTAGE DROPS FOR SERIES	2	2	=	*	:	2		
	ASSISTED OF YOU CALCULATE POWER DISSIPATION FOR SERIES	2	=	•	=	2	•		
*	ASSISTANCE CALCULATE TOTAL RESISTANCE FOR SERIES PARALLEL	17	2	7	*	:	•		
:	ASSESSED OF YOU CALCULATE TOTAL CURRENT FOR SERIES PARALLEL	-	•	•	:	2	2		311
:	A3-21 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR SERIES	=	~	•	:	:	7		
:	ASSES DO YOU CALCULATE INDIVIDUAL BRANCH CURRENTS FOR	=	=	12	12	=	•		
:	ASSESS TANALLEL MESISTIVE CIRCUITS. ASSESS DO YOU CALCULATE POWER DISSIPATION FOR SERIES	=	•	•	12	=	•		
* *	A3-24 DO YOU CALCULATE TOTAL RESISTANCE FOR PARALLEL	=	•	*	20	:	-		
:	ASSESSIONE CIRCUIS.	=	•	~	:	2	•		
:	CIRCUITS. A3-26 DO YOU CALCULATE INDIVIDUAL VOLTAGE DROPS FOR	-	1.1	•	20	:	2		
05	PARALLEL RESISTIVE CIRCUITS. A3-27 DO YOU CALCULATE INDIVIDUAL BRANCH CURRENTS FOR	•	=	~	12	2	•		
19	PARALLEL RESISTIVE CIRCUITS.	17	7	•	:	=	•		
	STIVE CIRCUITS.						1		
23	BI-DI DO TOU REASONE RESISTANCE.	= .	•	100	2 :	6.	g -		
	00	:	:•	8	:::		÷-	MULTIMETER USES	
2	00 400	-	-	0	-	5	-	The second secon	
23	SI-104 DO YOU MEASURE CURRENT.	25	::	• 6	25	::	22		
:		•	-		~	•	•		5
	BI-09 00 YOU READ SCHENATION.	41	:	100	• 1	:			

PET MARS RESPONDING PLES AT SELECTED GRPS

SPANIE PASE

TASK GROUP SUNMARY PERCENT MEMBERS PERFORMING

01-75K.		SPC	SPC		SPC	SPC	SPC		
82-01 00 YOU USE OR REPER	Department of the Control of the Con	920	022	070	620	90	100		
,,,,,,	THE TERM EFFECTIVE VOLTAGE	25	25	=	3		¥ .	ALTERNATING CURRENT	
DO YOU USE OR REFER	THE TERM PEAK TO PEAK VOLTAGE.	3	:	?			20		
DO YOU USE OF REFER	TERM AVERAGE	::	:	•	7.5	:	= :		
00 YOU USE OR	- 1		2	77	:	17	2		
AS BEEN ON YOU USE ON REPER TO	THE TERM PRESURETORS OF US.	::	::	::	::	5	:		
DO YOU WORK WITH IND	OR CI	-	32	9	7	20	32		
CTORS, C	5				!				
68 83-02 DO YOU INSPECT INDUCTORS	•	=	20	•	;	-	20	TNDIICTORS AND	
83-03 00		70	20	-	23	=	=	INDUCTIVE REACTANCE	
00 400		= :	-	•	20	=			
	I NOCCIONS.		25	2:	9	=	1:		
21 4244 MO 400 MO 404 M	- 100C -	•	2 -	: "		• •			
00 YOU USE OF REPER	INDUCTIVE REACTANCE.	12	1		-				
DO YOU USE OR REFER	OPPER LOSS IN INDUCTORS.	-	-			0	0		
YOU USE OR REFER	TSTERESIS LOSS IN INDUCTORS.	~	•	0	•	0	_		
DO TOU USE OR REFER	IDDY CURRENT LOSS IN INDUCTORS	•	•	0	•	0	0		
76 83-12 DO YOU USE OR REFER TO	HE GENERAL RULE THAT	~	-	•	-	0	•		
TURNS OF THE COIL.	THE SQUARE OF THE NUMBER OF								
70 83-13 00 YOU USE OR BEEFE TO	THE SPINERAL BULE THAT THE IM-	•	7	•	•	•	•		
	DUCTANCE OF A COIL IS DIRECTLY PROPORTIONAL TO THE CROSS								
80 B3-14 DO YOU USE OR REFER TO	THE GENERAL RULE THAT THE	•	•	0	•	0	•		
INDUCTANCE OF A COIL IS INVE	COIL IS INVERSELY PROPORTIONAL TO 175								
AT 13-15 On YOU USE OR BEFER TO	THE GENERAL RULE THAT THE	•		•		•	-		
	TLY PROPORTIONAL TO THE			•		•			
82 83-16: DO TOU CALCULATE INDUCT	INCE FOR PARTICULAR INDUCTORS	~	~	0	•	0	0		
USING FORMULAS.	PORTICIONE SON PROPERTY.	•	•	•	•	•			
IN SERIES.		•	•	•	•	0			
84 83-18 50 YOU CALCULATE THE TOT	AL INDUCTANCE FOR INDUCTORS	•	•	~	•	0	•		
IN PARALLEL.			•						
OF SELECTION CONTRACTOR OF SEL	AL INDUCIANCE	•	•		1	0	•		
SA B3-20 DO YOU USE OR REFER TO T	THE GENERAL RULE THAT CURRENT	=	9	~	2	0	7		
	IRC		-						***************************************
87 83-21 BO TOU CALCULATE INDUCT	VE REACTANCE.	-	•	~	0	0	•		
INDUCTIVE REACTANCE IS DIRECT	HE GENERAL RULE THAT LY PROPORTIONAL TO PREDUENCY.	•	•	-	•	0	•		
	NDUCTORS.	-	-	•	9	•	2		
40 83-24 00 400 MORK WITH AUDIO	REGUENCY INDUCTORS.	•	•	-	-	0			

SPC
SPC
TASK GROUP SURMARY PERCENT MEMBERS PERFORMING  TASK GROUP SURMARY PERCENT JOS.  TO CLOUD DO TOU WORR WITH CREATIONS.  TO CLOUD DO TOU LEAR CARACITORS.  TO CLOUD DO TOU LE OR REFER TO CARACITORS.  TO CLOUD DO TOU LE OR REFER TO CARACITORS.  TO CLOUD DO TOU LE OR REFER TO CARACITORS.  TO CLOUD DO TOU LE OR REFER TO CARACITORS.  TO CLOUD DO TOU LE OR REFER TO CARACITORS.  TO CLOUD DO TOU LE OR REFER TO CARACITORS.  TO CLOUD DO TOU LE OR REFER TO CARACITORS.  TO CLOUD DO TOU LE OR REFER TO CARACITORS.  TO CLUE DO TOU USE OR REFER TO CARACITOR COLOR COL

The second of the second of the second

PET MBRS RESPONDING .YES. BY SELECTED GRPS

The book of the second of the

+ 3544 SHEE +

TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

121 C1-30 DD 190 WORK WITH RUTGR-916 (FIRED) CARGITORS 122 C1-32 DD 190 WORK WITH RUTGR-916 (FIRED) CARGITORS 123 C1-32 DD 190 WORK WITH CORRESSION (FIRED) CARGITORS 124 C1-35 DD 190 WORK WITH CORRESSION (FIRED) CARGITORS 125 C1-36 DD 190 WORK WITH DATE (FIRED) CARGITORS 126 C1-36 DD 190 WORK WITH DATE (FIRED) CARGITORS 127 C1-36 DD 190 WORK WITH DATE (FIRED) CARGITORS 128 C2-30 DD 190 WORK WITH DATE (FIRED) CARGITORS 129 C2-30 DD 190 WORK WITH DATE (FIRED) CARGITORS 120 C2-30 DD 190 WORK WITH TANSFORMERS 121 C2-30 DD 190 WORK WITH TANSFORMERS 122 C2-30 DD 190 WORK WITH TANSFORMERS 123 C2-30 DD 190 WORK WITH TANSFORMERS 124 C2-30 DD 190 WORK WITH TANSFORMERS 125 C2-30 DD 190 WORK WITH TANSFORMERS 125 C2-30 DD 190 WORK WITH TANSFORMERS 126 C2-30 DD 190 WORK WITH TANSFORMERS 127 C2-30 DD 190 WORK WITH TANSFORMERS 128 C2-30 DD 190 WORK WITH TANSFORMERS 129 C2-30 DD 190 WORK WITH TANSFORMERS 129 C2-30 DD 190 WORK WITH TANSFORMERS 120 C2-30 DD 190 WORK WITH DATE (FIVE OF WITH WORK WITH DATE (	SPC SPC 079 060 081	=======================================	77 71 35 50 20 12 74 71 30 74 70 30 74 70 30 74 70 30 75 70 30 76 76 70 30 76 70 30	0 0 40 0 20 2 2 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0
CE-10 00 TOU WORK WITH ROTON-EATOR TARRIBEET CAPACITORS  CI-30 00 TOU WORK WITH ROTON-EATOR TARRIBEET CAPACITORS  CI-30 00 TOU WORK WITH ROTON-EATOR TARRIBEET CAPACITORS  CI-30 00 TOU WORK WITH ROTON-EATOR CAPACITORS  CI-30 00 TOU WORK WITH ROTON-EATOR CAPACITORS  CI-30 00 TOU WORK WITH ROTON-EATOR CAPACITORS  CI-30 00 TOU WORK WITH RANGEMERS IN YOUR PRESENT JOB  CE-01 00 TOU WORK WITH RANGEMERS IN YOUR PRESENT JOB  CE-02 00 TOU CLEAR TRANSFORMERS  CE-03 00 TOU CLEAR TRANSFORMERS  CE-03 00 TOU CLEAR TRANSFORMERS  CE-04 00 TOU CLEAR TRANSFORMERS  CE-05 00 TOU WORK WITH AUTOFRANSFORMERS  CE-05 00 TOU WORK WITH AUTOFRANS				n n 10 mm 1 1 5 mm
CI-10 BO TOU WORK WITH RUTGR-STATOR IVARIABLE CARACITORS CI-31 BO TOU WORK WITH CERNEY CI-32 BO TOU WORK WITH CERNEY CI-33 BO TOU WORK WITH CERNEY CI-34 BO TOU WORK WITH CERNEY CI-35 BO TOU WORK WITH CERNEY CI-35 BO TOU WORK WITH CERNEY CI-36 BO TOU WORK WITH CERNEY CI-36 BO TOU WORK WITH CERNEY CI-36 BO TOU WORK WITH CERNEY CE-37 BO TOU WORK WITH CERNEY CE-37 BO TOU WORK WITH CERNEY CE-38 BO TOU WORK WITH CERNEY CE-39 BO TOU CECAT TRANSFORMERS CE-30 BO TOU LANGE CONTINUE CE-30 BO TOU MARK WITH CERNEY CE-30 BO TOU WORK WITH AUTOTRANSFORMER CE-30 BO TOU CECAT THANSFORMERS CE-30 BO TOU CHANSFORMERS CE-30 BO TOU CHANSFORMERS CE-31 BO TOU CHANSFORMERS CE-31 BO TOU WORK WITH AUTOTRANSFORMER CE-32 BO TOU WORK WITH AUTOTRAN				Lane 10
		TOR-STATOR IVARIABLE) CAPACITORS INFRESSION (TRINNER) CAPACITORS INCTROLVIC (FIXED) CAPACITORS FOR (FIXED) CAPACITORS FAMIC (FIXED) CAPACITORS RANIC (FIXED) CAPACITORS RANIC (FIXED) CAPACITORS	RANSFORMERS IN YOUR PRESENT JOS INSFORMERS STORMERS TRANSFORMERS TRANSFORMERS TEPLACE COPPLETE TRANSFORMERS SUCH AS INCTION BETWEEN NUTUAL INDUCTION 1901 FOR NUTUAL INDUCTANCE, H 1901 FOR THANSFORMERS USINJURNS RATIOS FOR TRANSFORMERS USINJURNS	

PCT MBRS RESPONDING .YES. BY SE			•				
TASK GROUP SUNHARY PERCENT HEMBERS PERFORMING				,			
1-40	State of the second second control of the se	36	37.0	870	8PC 9	200	SPC 001
CA-25 BO YOU REFER TO HUL SYMBOLS FOR TRANSFORMERS	TIPLE SECONDARY-WINDINGS SCHENATIC	=	=	•	:		
YOU REFER TO MUL	TIPLE TAP SCHEHATIC STHOOLS FUR	:	=	9		09	
C2-27 DO YOU REFER TO CEN	ITER TAP SCHEMATIC STHBOLS FOR	25	:		25		
C2-28 BO YOU REFER TO AIR	CORE SCHEMATIC SYNBOLS FOR	=	•	52	3.5	2,	
REFER TO INC	N CORE SCHEMATIC STMBOLS FOR	2	*	*	=	3.6	22
C2-10 DO YOU REFER TO COM	BINATIONS OF THE ABOVE SCHEMATIC	•	37	25	:	45	2
2 >	ASE RELATIONSHIPS SETWEEN SLTAGES OF TRANSFORMERS USING	1.1	-	=	2	2	•
SCHEMATIC SYNDOLS C2-32 DO YOU DETERNINE OR	REFER TO THE TYPE OF CORE IN	•		2	•	:	•
7 .	AL RULE THAT ?		•	•		-	•
C2-24 DO YOU USE OR REFER	THER IS COULT TO THE VOLTAGE RATIO	=	:	:	12	:	-
CALCULATE VO	LTAGE RATIOS FOR TRANSFORMERS	~	~	~	•	•	-
C2-34 DO YOU CALCULATE CURRENT	RRENT RATIOS FOR TRANSFORMERS	~	~	0	•	-	0
INVOL	VE ANY PASKS DEALING WITH THREE	;	=	0	:	9	0.
PLASE TRANSFORMERS		:		•	:	5	
90 405	THREE	:=	; =	- 1	2	-	
00 400	PEAST TRANSPORTERS	•	•	-	•	•	
PROUBLESHOOT	THREE PHASE TRANSPORMENS	2 2	36	20	**	25	
C2-43 DO YOU REHOVE OR RE	PLACE THREE PHASE TRANSFORMER	-	~	•	~	•	-
DO YOU USE OF	TO PERMANENT MAGNETS	25	37	9	9	-	01
CA-02 DO YOU USE OR REFER	TO TENTORARY EAGERTS	2:2	2-	• •	::	• •	•
FIALS	TO HET ANCE DE		: :	: 5		n .	MAGNETTSM
11418		2	:	:			
CA-65 88 YOU UME OR REFER	TO PERMENETATION NACHETIC	-	:	•	71	-	-
00 YOU USE OR	RESIDUAL MAGNETIS!	:	•	2	2	•	•
FLUX	TO MAGNETIC LINES OF FORCE OR	:	7		:		:
C3-08 Do You use OR seers			,				

RCL CIRCUITS SPANS PAGE C 179 C3-09 DO YOU USE OR REFER TO DOMAIN THEORY OF MAGNETISM
C 180 C3-10 DO YOU USE OR REFER TO MAGNETIC INDUCTION
C 181 C3-11 DO YOU USE OR REFER TO THE REFER RULE THAT FOR
C 182 C3-12 DO YOU USE OR REFER TO THE GENERAL RULE THAT FOR
C 183 C3-13 DO YOU USE THE LEFT HAND THUMB RULE TO FIND THE
DIRECTION OF MAGNETIC FIELDS ABOUT STRAIGHT WIRES
C 184 C3-14 DO YOU USE THE LEFT HAND THUMB RULE TO FIND THE NORTH MORKING MITH RC, CIRCUITS
0 195 DI-11 DO YOU USE OR REFER TO APPARENT POWER (PA) WHEN
MORKING WITH RCL CIRCUITS
D 196 DI-12 DO YOU USE OR REFER TO POWER FACTOR (PF) WHEN WORKING RCL CIRCUITS D 199 DI-15 DO TOU USE OR REPER TO SELECTIVITY WHEN MORKING WITH PRESENT JOB D 184 D1-02 DO YOU USE OR REFER TO VECTORS WHEN WORKING MITH RCL CIRCUITS D 190 DI-D& BO YOU USE OR REFER TO TANGENT WHEN WORKING MITH RCL CIRCUITS
DI 101-07 DO TOU USE OR REFER TO MATTS WHEN WORKING WITH RCL
CIRCUITS
D 192 D1-08 DD TOU USE OR REFER TO TRUE FOWER (PT) WHEN WORKING
D 193 D1-09 DO YOU USE OR REFER TO MAXIMUM POWER (PM) WHEN MORKING MITH RCL CIRCUITS. D 202 DI=18 DO YOU USE OR REFER TO BANDPASS REGION WHEN MORKING CIRCUITS DO YOU USE OR REFER TO COSINE WHEN WORKING WITH RCL D 197 D1-13 DO YOU USE OR REFER TO RESONANT CIRCUITS WMEN WORKING WITH RCL CIRCUITS
D 198 D1-19 DO YOU USE OR REFER TO BANDWIDTH WHEN WORKING WITH MITH RCL CIRCUITS D 203 DI-19 DO YOU USE OR REFER TO CIRCUIT & MMEM MORKING MITH D 187 D1-03 DO YOU USE OR REPER TO PYTHABOREAN THEOREM WHEN BD 188 D1-04 DO YOU USE OR REPER TO SINE WHEN WORKING WITH RCL DISTRIBLE WITH REL CIRCUITS OF THE DISTRIBLE POWER (PAVE) WHEN ACL CIRCUITS 1-16 DO TOU USE OR REFER TO RESONANT FREQUENCY WHEN 201 DIAIT DO YOU USE OF REPER TO HALF FORER FOINTS WHEN POLE OF A CURRENT CARRYING COLL D 185 DI-DI DO YOU WORK WITH RC, LR, RCL CIRCUITS IN YOUR PCT MBRS RESPONDING .YES. BY SELECTED GRPS DY-78K TASK GROUP SURMARY PERCENT MEMBERS PERFORMING CIRCUITS 0 200 0

一一一 大家大一郎

		•					
PERCENT MEMBERS PERFORMING							
OY-TSK	976	SPC 077	800	340	200	246	
204 DI-20 DO YOU USE OR REFER TO TANK CIRCUITS WHEN WORKING	•		~	=	•	•	
205 DI-21 DO YOU DETERMINE VALUES OF TRIGONOMETRIC FUNCTIONS	•	•	•	=	•	•	
204 01-22 DO YOU DRAW VOLTAGE, CURRENT, OR IMPEDANCE VECTOR	-	-	2	۰	•	-	
DI-23 DO YOU CALCULATE TOTAL IMPEDANCE POR CAPACITIVE	•	•	0	•	•	•	
208 DI-24 DO YOU CALCULATE PHASE ANGLES BETWEEN INPEDANCE AND	~	~	•	•	•	-	
DI-25 DO YOU CALCULATE TOTAL IMPEDANCE FOR SERIES RCL	•	-	•	•	•	-	
210 DI-22 DO YOU CALCULATE IMPEDANCE ANGLES FOR SERIES RCL.	•	-	•	•	•	-	
211 DI-27 DO YOU CALCULATE APPARENT POWER (PA) FOR SERIES RCL.	0	-	•	~	•	0	
212 DI-28 DO YOU CALCULATE TRUE POWER (PT) FOR SERIES RCL	-	-	•	•	0	•	
213 DI-29 DO YOU CALCULATE POWER FACTORS (PF) FOR SERIES RCL	•	•	~	•	•	-	
D 214 DI-2015 DO YOU CALCULATE TOTAL CURRENT FOR PARALLEL RCL	-	-	۰	~	0	-	
DI-31 DO YOU CALCULATE IMPEDANCE ANGLES FOR PARALLEL RCL	•	-	•	~		0	
216 DI-12 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL	-	-	~	~	•	-	
217 DI-33 DO YOU CALCULATE TOTAL IMPEDANCE FOR PARALLEL RCL	-	-	~	~	•	-	
-34 DO YOU CHECK CAPACITORS USING	=	=	=	:	=	2	
200	==	25	22	-:	~ •	••	
THE PE	• 0	• -	~ 0	• ~	- 0	~ 0	
-37 00 700 CALCULA		-		. ~		-	
1	•	•		•	-	,	
225 01-41 DO YOU USE OR REFER TO THE GENERAL RULE THAT LINE CURRENT IS HININUM AND IMPEDANCE MAXIMUM AT RESOMANT	~	~	~		•	-	
RULE	-	•	•	=	0		
	-	-	•	•		•	
228 DI-44 DO YOU DETERMINE HOW CHANGES IN PREDUENCY, RESISTANCE , CAFACITANCE, OF INDUCTANCE WILL AFFECT CURRENT OR PHASE	~	~	~	•	•	•	

こうこう こうかんしょうしんないしょう

PCT NBAS RESPONDING .YES. BY SELECTED GRPS

OF SOLS PASS 10

and the second of the second

TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

		,	Ser suns in	-	:			
PERCENT MEMBERS PERFORENCE								
PT-TOK	87C	940	87C 070	950	300	200		
D 260 D3-21 DON*T REMEMBER WHICH TYPE OF BASIC CIRCUIT D 260 D3-22 DO YOU USE EQUATIONS OR PORMULAS TO DETERMINE CAPACITANCE OR INDUCTANCE VALUES REQUIRED FOR SPECIFIC	<b>:</b> "	2"	z ~	••	20	•0	- 6	
E 261 EL-01 DO YOU HORK WITH COUPLING DEVICES IN YOUR PRESENT JOB E 262 EL-02 DO YOU DERNIFY ON SCHEWATIC DIAGRANS AND RELATE TO THE ZATUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH RC	4=	25	7.7	22	22	7.2	COUPLING	
263 E1-03 DD YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH IMPROANCE COURS INC.	•	•	2	2	:	•		
E 264 E1-04 DO TOU JOENTIFY ON SCHEMATIC DIAGRAMS AND RELATE TO THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED WITH	2	2	-	9	:			
THE FILL OF TOU INCOMENSATION CINCULTS ANICH MANE COMPONENTS	2	•	5	2	:	2		
E 246 KI-06 DO YOU TROUBLESHOOT CIRCUITS WHICH HAVE COMPONENTS	=	-	~	2	2	•		
R 267 K1-07 DO 700 TROUBLINGTON CIRCULTS MAICH MAVE COMPONENTS	2	*	*	90	:	-		
TOU WORK WITH CAPACITY	22	22	22	==	22	22		
E 270 EL-10 DO YOU WORK WITH CAPACITÍVE-INDUCTIVE COUPLED	~	2	:	=	=	~		
271 EI-11 DO YOU WORK WITH TRANSFORM 272 EI-12 DON'T REMEMBER WAICH TYPE	2.	••	* 0	2:		••		
IN YOUR PRESENT JOB. DO YOUR BIBUES ON INSPECT OR EVALUA	:	•	•	0	:	20		
274 E2-02 DO YOU SELECT TYPE OF SOLDER TO USE	2:	2:	::	22	2	3	SOLDERING	
E2-04 DO YOU CLEAN CONNECTIONS U	12	=	::	::		. %		
227 ENIOR DO YOU STRIP INSULATION FROM MINES	2	::	::	2:	::	2:		
E2-07 DO YOU BEND OR SHAPE WIRES		:	::			: 0		
E2-08 DO 700 CUT WIRES	•	:	2	2	-	2		
E2-10 00 100	••	::	::	2 %	::	: :		
DO YOU CLEAN SOLDERING IRON TIPS	•	:		:				
[2-12 00 YOU	=:	2 :	::	::	=:	::		
ES-14 DO FOU INSPECT SOLDERED CO	:	1:	::	::		::		
EZ-18 DO YOU DESOLDER CONNECTIONS	::	::	::	22	9.0	::		
-	9	7	:	:	1.	:		
EZ-18 DO TOU CRUSH COMPONENTS FOR REMOVAL								

から 大年を一年

			GESONS PASE		~		The second secon
TASK GROUP SURMARY PERFORMING							
S OY-19K	8PC 976	246	8PC 9	8 + 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2000	89C	
BO YOU MAKE MARDEINE COMMECTIONS	"	2				"	
TE SUCE AS RESISTORS OF	22	53	::	##	::	==	
CAPACITORS ON PRINTED CIRCUIT BOANDS							
E 244 E2-22 DO YOU SOLDER ACTIVE COMPONENTS SUCH AS SOLID-STATE	75	2	:		:	75	
	=	-	-		2	76	,
	2	5.	:	:	•	1.1	
E3-03 00 100	3	3	9	:	7.	43 PELAVE	
ES-04 DO YOU INSPECT RELATS	2	2	:	2		CIVITY VETUIS	
299 E3-06 DO YOU REMOVE ON REPLACE COMPLETE RELATE	3.	2		2:		7.	
FLACT OF VOIL TRANSPORT OF ACT AND ACT		::	•	::	::		
CALCO DO TOU STRAIGHT BELAN CONTACTO		:				77	
EL-DO DO YOU PERFORM TASKS ON PELAT CONTACTS	90	7	21		77	21	
E3-10 DO YOU PERFORM TASKS ON RELAY CORES		•	•	•	=	-	
E3-11 DO YOU PERFORM TASKS ON RELAY	•	•	^	-	-	•	
E3-12 DO YOU PERFORM TASKS ON RELAY	•	=	•	:	=	-	
PERFORM TASKS ON RELAT SPRINGS	•	=	0	20	=	•	
O YOU USE OR REFER TO SINGLE POLE, SINGLE THROW	:	7	:	:	:	87	
CAPSILLY OPER (ZO) SCHENAL CONTROL OF THE TOTAL	:		;	1	5		
COPST. NORMALLY CLOSED (MC. SCHEMATIC SYMBOLS FOR RELAYS	:	:		:	2		
R TO SINGLE POLE, DOUBLE THROW	20	:	2.	.2	63	-	
(SPOT) SCHEMATIC SYMBOLS FOR RELAYS		:					
POLE . DOUBLE THROW	:	•	•	:	~		
R TO OTHER RELAY SYMBOLS SCHEHATIC	•	7	29	7.8	90		
SYMBOLS FOR RELAYS							
TINUITY OF COILS BY	=	:	-	•		2	
F 314 F1-01 IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS DEALING	-	-	0	0	-	•	
F1-02 DO YOU	-	• •	0	•	0	1 MICROPHONES	
200 00 10-11	N -	••	0 9	. :		•	
STORES OF THE PROPERTY OF THE	• •		2 0		-		
			•		•		
PARTS OR NICHONES							
TI-DE DO YOU TROUBLESHOOT DOWN TO HI	•	- •	0	~ :		0 (	
220 F1-07 DO VENDOR ON HELLAR NICHORES	•	+	0	0	d	-	Commence and the commence of
FIRST DO YOU PERFORM TASKS ON CARDON	· ~	۰ ~		• ~			
FI-10 DO TOU PERFORM TASKS ON CAPACIT	. –	•	•		0	•	
FI-11 DO TOU PERFORM TASKS ON CRYSTAL M	0		0	~		01	
			•	•	•		

The state of the state of

SPSUMS PAGE 13	SPC SPC SPC 070 081	•	SPEAKERS		000					67 39 34 OSCILLOSCOPES	67 69 43	26 25	22 23 26 27 27 27 27 27 27 27 27 27 27 27 27 27		67 16 33	14 53 36	44 (5 34 CENTONNICTOR	39 61 12 DIODES	2 0 0		
HD54	800		001	. 0	000	> ~ ~	***	N ~ ~	25	-	2	24		•	22	*=	3		0	~	•
	350	•	N-:	~	0 70 0	000	000	000	33	2	2	=:	:::	: :	35	25	:	::	2	•	•
	350	•		•-	0-0	000	000	000	-5	:	\$	2:	225	: =	35	70	:	##	-	•	•
PCT MBRS RESPONDING .VES. BY SELECTED GRPS	PERCENT NEMBERS PERFORMING	IN YOUR PRESENT	72-02 00 40C	33	F 332 F2-04 DO YOU TROUBLESHOOT DOWN TO SPEAKER PARTS F 333 F2-04 DO YOU REMOVE OR REPLACE COMPLETE SPEAKERS F 334 F2-05 DO YOU REMOVE OR REPLACE COMPLETE SPEAKERS	PERSON DO YOU PERFORM ANY TASKS ON SPEAK	DO YOU PERFORM ANY TASKS ON SPEAKER FIELD COLLON YOU PERFORM ANY TASKS ON SPEAKER YOUTER COLLON	F2-14 DO YOU PERFORM ANY TASKS ON S	F3-01 DO YOU USE OSCILLOSCOPES IN YOUR PRESENT JOB F3-02 DO YOU USE OSCILLOSCOPES TO PERFORM OPERATION	F 344 F3-03 DO YOU USE OSCILLOSCOPES TO PERFORM ALIGNMENTS OR	ADJUSTMENTS F13-05 F13-05 F0 USE OSCILLOSCOPES TO TROUBLESHOOT ELECTRONIC	OU USE OSCILLOSCOPES TO MEASURE	73-07 00 You USE 05C1LL0SCOPES	UTILIZING ATTENUATOR PROBES 350 F3-09 DO YOU USE OSCILLOSCOPES TO MAKE PRE	TO MEASURE OF OF	SIGNALS AFTER FIRST ADJUSTING THE GAIN AND DC BAL CONTROLS F 353 F3-12 DO YOU USE USELLOSEDPES TO NEASURE DC VOLTAGE G 354 G1-01 DO YOU WORK WITH SEMICOMDUCTOR DIODES IN YOUR PRESENT	JOS 61-02 DO YOU INSPECT DIODES	354 61-03 DO YOU RENOVE OR REPLACE DIDD 357 61-04 DO YOU CHECK DIDDES USING AN	61-05 BO YOU USE ENERGY LEVEL DIASK	THE WITH VALUES OF FORWARD AND	6 340 61-07 DO YOU COMPUTE YORKERD OR REVERSE BIAS RESISTANCE FOR DIODES

-
SELECTED
*
.168
RESPONDING

SK GROUP SURMARY

TO DEPLETION RESION IN
DIFFERENCE OF POTENTIAL  OU USE OR REFER TO RELATIONSHIP BETWEEN BARRIER  OU USE OR REFER TO THE IOII BACK TO FRONT  E ATIO FOR DIODES  OU USE OR REFER TO BARRIER MEIGHT IN  CTORS  OU USE OR REFER TO BARRIER MEIGHT IN  INCS  OU USE OR REFER TO PEAK RECURRENT FORWARD  OU USE OR REFER TO PEAK RECURRENT FORWARD  OU USE OR REFER TO PEAK RECURRENT FORWARD  OU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE  OU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE  OU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE  OU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE  OU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE  OU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE  OU USE OR REFER TO PEAK REVERSE (INVERSE) VOLTAGE  OU USE OR REFER TO PEAK REVERSE (CS) FORWARD  OU USE OR REFER TO PEAK REVERSE (CS) FORWARD  OU USE OR REFER TO PEAK REVERSE (CS) FORWARD  OU USE OR REFER TO PEAK REVERSE (CS) FORWARD  SE RESISTANCE RESUREMENTS

Preceding Page BLANK - NOT FILMED

PERCENT NEWBERS PERFORNING							
Dr-18k	5.00 9.70	SPC 077	250	39C 079	200	Sp.C	
410 62-07 50 YOU USE OR REPER TO EMITTER . COLLECTOR IEC!	2	2	:	2	=		
ATTRACTOR BO VOULDE OR REFER TO NOW BIASING AFFRETS THE	•	•	•	•	=		
	•	•	•	•	•	•	
12.5	=	2	~	•	=	•	
A 114 GELLI DO YOU USE OR REPER TO LEAKAGE CURRENT (1000) IN A	•	•	•	•	•	-	
6 415 62-12 DO YOU USE OR REFER TO TRANSISTOR SCHEMATIC SYMBOLS 6 416 62-13 DO YOU USE OR REFER TO TRANSISTOR MOTATION SUCH AS	==	2:	22	22	::	22	
USE OR REFER TO TRANSISTOR	=	=	2	•	7	1	
G 418 62-15 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE	•	•	=	•	=		
SALELER TIAN THE EXITER CURRENT IE COURLY IS BEING 2 TO							
6 419 62-16 DO YOU USE THE INFORMATION THAT THE EFFECT OF ENITTER BASE VOLTAGE ON BASE CURRENT IS THE CONTROLLING FACTOR FOR	=	2	•		2	•	
- 7 - 1	~	-	0	•		0	
CURVES	•	•	•		-		
90 400	~~	~ ~	00	~ ~	<b>.</b>		
200		~ -	0 0		•	• •	
62-23				00	•	• • •	
63-01 00 100	2	-	9	-	32	50	
63-02 DO TOU INSPECT TRANSISTOR.	2	2	:	5	2		
, 450 65-03 DO YOU ALLER OR AGLOST TRANSISTOR ARPLIFIERS	2 2	2 2	~ °	2 5	* 2	AMPLIFIERS	
63-05 DO YOU TROUBLESHOOT TO AMPLIFIER COMPONENTS	2	2	:=	2	2		
PLACE THE COM	* -	7 .	?:	:=	~ :	*:	
63-08 00 YOU USE OF REPER TO CO	•	•	2	•	•	•	
S FROM A CHANGE IN							
6 436 63-09 00 YOU USE OR REFER TO ICORNOR EXITTER, THE CALCULATIONS NECESSARY TO MEASURE THE SPECIFIC CHANGE IN COLLECTOR CURRENT ENIOR RESULTS, FROM A SPECIFIC CHANGE IN	•	-	•	~	•	•	
S THE STREET OF CHANGE							

of HBRS AESPONDING .YES. BY SELECTED GAPS		•	SPEANS PAGE	397	12		•
PERCENT MENDERS PERFORMING							
0Y-75K	250	34	80C	35	200	7 T T T T T T T T T T T T T T T T T T T	
6 427 63-10 80 YOU USE OF REFER TO (COHHOW EMITTER) THE CHANGE IN COLLECTOR VOLTAGE WHICH RESULTS FROM A CHANGE IN BASE	•	•	2		•	•	
= "	~	•	•	•	•		
COLLECTOR VOLTAGE WHICH RESULTS FROM A SPECIFIC CHANGE IN DASE CURRENT							
6 434 63-12 DO TOU USE OF FEFER TO (COMMON ENITTER) THE CHANGE IN	•	•	2		•	•	=
6 440 63-13 DO YOU USE OR REFER TO (COMMON ENITTER) THE CALCULATIONS MECESSARY TO MEASURE THE SPECIFIC CHANGE IN	•	•	~	~	•	•	
100	•	- 0	•	•	•	-	-
G 442 69-15 DO TOU USE OR REPER TO THE OPERATION POINT		•	•		0	-	
G 443 69-16 50 YOU CALLETTE THE SPECIFIC QUIESCENT POINT FOR A	•	-	•	•	•	-	
G 444 GAILLY DO YOU MESURE VOLTAGE GAIN USED IN THE CORROR	=	=	=	:	=		=
6 145 GD1-15 TOTAL TOTAL TOTAL GAIN USED IN THE CORNOR OF 145 GD1-15 CORNOR	•	•	•	•	•	•	
	•	•		2	=	•	
G 447 63-20 DO YOU CALCULATE THE VOLTAGE GAIN FOR SPECIFIC TRAN- SISTORS USING A FORMULA THAT IS, DO YOU DIVIDE THE CHANGE IN BASE-EMITTER VOLTAGE INTO THE CHANGE THE BASE COLLECTOR	•	-	•	•	•	•	
VOLTAGE TO DETERMINE THE VOLTAGE GAIN 6 448 63-21 DO YOU CALCULATE THE CURRENT GAIN FOR SPECIFIC TRANSISTORS USING A FORMULA THAT IS, DO YOU DIVIDE THE CHANGE IN BASE CURRENT INTO THE CHANGE IN COLLECTOR	•	-	•	• •	•	٥	
CURRENT TO DETERMINE THE CURRENT GAIN 6 449 63-22 DO YOU CALCULATE THE POWER GAIN FOR A SPECIFIC THANSISTOR USING A FORMULA THAT IS, DO YOU MULTIPLY THE CURRENT GAIN TIMES THE VOLTAGE GAIN TO DETERMINE THE	٠	-	•	•	•		
ECTOR CURRENT 19 S TEMPERATURE	•	-	•	•	•	•	
INCREASISTORY THE STATE OFFICE FOR TO OF THE TRANSISTORY THE STATE OFFICE OFFICE OFFICE OFFICE FOR SO THE STATE OFFICE OF	0	-	•		•		
TANNSISTOR AT DIFFERENT TENDERATURES CALZE DO YOU IDENTIFY OF SCHEMANIC DIAGR THE ACTUAL CIRCUITY THE COMPONENTS ASS	•	•		•	• •		1.5
GASTATER (STATESTES) RESISTOR STATESTANDED OF STATESTON THE AND RELATE TO THE ACTUAL CIRCULTRY ON SCHEMEN'S ASSOCIATED WITH SELF-SIAS STATESTON WITH SELF-	•	•	9	•	•		

-	
PCT MBRS RESPONDING TEST BY SELECTED GRPS	
•	
-	
Š	
3	
-	
•	2
:	E
-	8
•	> 2
2	4 2
=	I m
3	35
3	.:
2	35
	5-
-	W
-	TASK GROUP SUNMARY PERCENT NEWBERS PERFORMING
-	2.5

Company and American Company

SPSUMS PAGE 18

3 8	•	•	•	•	•	1	•	-	-	•	•	•	-	•	•	-	•	-	•	-	•
	•	•	•	•	•	•	•	=	=	•	-	0	•	•	0	•	•	•	-	= -	•
010	•	•	•	•	•	2	•	•	•	^	•	•	•	2	•	•	•	9	2	==	=
26	•	2	2	2	•		^	2	=	•	9	9	•	•	•	•	~	•	0	~ ~	2
977	•	-	-	•	•	•	^	•	•	•	•	•	•	•	•	•	•	•	•	••	•
940	•	•	•	•	•	•	•	2	0.1	•	•	•	150	,	•	•	•	•	•	-•	•
1	2	2	2	9	28	2	2	2	2	2	108	THE	108		THE	THE	Ĭ		. 2	ETRY	
	RELATE	BELATE	RELATE	RELATE	PONEN	COMPONENTS	COMPONENTS	CIRCUITS WHICH HAVE COMPONENTS	PONEN	CIRCULTS WHICH HAVE COMPONENTS	TRANSISTOR	CIRCUITS TO FIND THE	DISTORTION FOR TRANSISTOR	STOR					AMPLIFIERS	COMPLEMENTARY SYMMETRY	COMPOUND-CONNECTED
					00	0	00	0 10	Š	0	DR 1	5 10	1 TO	RANSI	10	10	22 28	0	4	NA A	4 NO U
	ANS 10CIA	10C.1A	ASSOCIATED	NA NA	7	NA I	JAVE !	HAY	HAY	*	NO	TINO	NO	1 40	TINO	TINO	ESISTANCE COLLECTO	NAT 10	PARAPHASE	COMPLEMENTARY	ONNO
	\$ 459	DIAGRAMS IS ASSOCIA	9 A SS	S ASSOCI	WHICH STATE	U NO	THE P	TAIC	TAIL	THE T	TORT	R C1	TORT	NOI	R C1		F 50	0	4		
-	SCHEMATIC DIAGRAMS AND COMPONENTS ASSOCIATED	UZ	ON SCHEMATIC DI	NENT	2175	CIRCUITS WHICH MAVE	STABLI IZATION	2178	2118	SCULTS WHICH	AMPLITUDE DISTORTION FOR	81570		BTORT	1810	11570	DESENE	100	REPAIR	REPAIR	REPAIR
*	CHEN	ON SCHEMATIC THE COMPONENT	T D D	100	CIRC	CIRC	CINC	200	200	CINC	1100	TRAN	CENC	10 3	TRAN	TRAN	F F F	4 T		2 2	-
DY-TSK	N N	2 2	3 2	282	1001	1007	1007	1001	TO0	1007 C		1001	4 2 4 4	PHA	1001	1001	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1	1001	1001	TROUBLESHOOT
01		35 5	25	220	- 2	2	55	100	25.5	2310	1167	OLES.	116	1167	BLES	OLES.	20 5 5	NI W	BLES	TROUBLE SHOOT	BLES
0	===	35 5	3== 2	1==	2 4	33						-	- 2	Z	3	2	HA				
•	INCUITE	P C C	PENT	T S	TROUGH	TROUBL	THOUSE THE	TROUGH	T ROL	1200	IDE	TRO	10	100	-	2	2001	110	TROUBLESHOOT	180	
•	TOU IDENTIF	TOU IDENTIFY ON UAL CIRCUITRY THE	TOU IDENT!	TO IDENTIFY ON SCHENATION OF CIRCUITAL THE COMPONE	TOU TROUBL	YOU TROUBLE	TOU TROUB	TOU TROUB	TOU TROU	TOU TROU	TOU IDE	YOU TRO	700 10E	YOU 10E	YOU TRO	TOU TRO	TOU NE	YOU DETE	YOU TROU	200	
٥	ACTUAL	S DO TOU IDENTIFY ACTUAL CIRCUITRY	285	ACTUAL CIRCUIT	BLE OLODE STABL 1 DO YOU TROUBL CH PERFORM FHIT	2 DO YOU TROUBLE	S DO TOU TROUB	CH PERFORM FOR	S DO YOU TROU	DO TOUT THE	7 00 YOU IDE	DO YOU TRO	9 00 VOU 10E	0 00 70U 10E	1 00 YOU TRO	Z DO TOU TRO	SES OF PRESCO	4 DO YOU OFTE	5 DO YOU TROU	00	
•	THE ACTUAL CIRCUITS	63-28 DO YOU IDENTIFY THE ACTUAL CINCUITRY	GS-24 DO YOU IDENTIFY ON SCHEMATI	G3-30 00 YOU IDENTIFY ON SCHEMATIC DIAGRAMS AND THE ACTUAL CIRCUITRY THE COMPONENTS ASSOCIATED	DOUBLE OLDOR STABILIZATION GAL-11 DO TOU TROUBLEMANOT CIRCUITS MILLY MAVE COMPONENTS MILLY PERFORM FILLY ANAMONES, PRESISTOR STABILLY ALTON	43-52 DO YOU TROUBLESTOOT CIRCUITS MILE	CALLS DO TOU TROUBLESHOOT	MAICH PREFORM YORKAND GIRCUITS WAICH MAVE C	69-55 DO YOU TROUBLESTOOT CERCUTS WHICH MAN COMPONENTS	EN-36 DO YOU TROUBLESHOOT	63-37 DO YOU IDENTIFY	63-38 DO YOU TROUBLESHOOT TRANSISTOR	GULDO TO TOENTITY FREQUENCY	CIRCUITS 63-40 DO YOU IDENTIFY PHASE DISTORTION FOR TRANSISTOR	63-41 DO YOU TROUBLESHOOT TRANSISTOR CIRCUITS TO FIND	63-42 DO YOU TROUBLESHOOT TRANSISTOR	CAUSES OF PREQUENCY DISTORTION 63-43 DO YOU NEED TO KNOW THE DEGENERATIVE EFFECTS CIRCUIT CAUSED BY CHANGING EMITTER RESISTANCE FOR TRANSISTOR AMPLIFIERS IN THE COMMON COLLECTOR	CONFISCRATION CONTINUE THE CLASS OF OPERATION FOR	63-45 DO YOU TROU	200	63-48 DO YOU TROU

	40	Constitution of the second	Soi ID-STATE	SPECIAL PURPOSE	DEVICES				POWER SUPPLIES																								
	250	•	••	2		-	28	3	2		2		:	=			25	77	202	=.		•	- ?		-			)	•	•	•_	-	
	200	-	•=	•	- :	: :	42	::	1	*	2	75	-	:		::	2	2:	::		A 40	=	2:	:	•	-	-		•	•	2	•	
	950	2	==	=:	::	::	0	2 :	23	-	?	2:	17	:	;	: ;	=	?:	:	2:	20	:	3:		*	=	13	:		2	9	•	
t	SPC 078	~	~ =	~:	• ;	::		: :	: :	•	53	2 4	2	-	:	;=	*	*	2	- 7	. 0	*	2 5		71	7	11		7	=	•	•	
	SPC 077	•	• •	=	•	? :	3	3:		-	•	•	23	2.	:	: 2	20	2	-	~:	- 7	23	32		23	5	9	:	•	11	23	•	
	8 PC	•	••	=,	•	;;	0,	3:	2	:	2	1:	*	9		::	*	2 :	2	~ :	2 7	2	2:		2	1.1	•		:	1.5	=	~	
TASK GROUP SURVARY PERCENT MEMBERS PERFORNING	DY-18K	3447 DO YOU TROUBLESHOOT OR REPAIR CASCADE-CONNECTED	DO YOU USE ON REPENTO VARACTORS	TOU USE OR REFER TO FIELD EFFECT	DA REFER	YOU USE OR REFER	YOUR PRESENT JOB, DO TOU WORK WE	DO YOU INSPECT POMER BUPPLIES	200	DO YOU TROUBLESHOOT TO POWER SUPPLY	DO YOU TROUBLESHOOT TO POWER SUPPLY	12-07 00 700 METOVE OF REPLACE COMPLETE PORES SUPPLIES	DO YOU WORK WITH MALF-WAVE RECTIFIE	DO TOU WORK WITH FULL-WAVE	SE RECTI	12-11 DO TOO TOOK ELLY ANDRESSE AND LIVERS	DO YOU USE OR REPER TO INPUT VOLTA	DO YOU USE OF REPER TO INTELL PRESCHEN	TOU USE OR REFER TO AVERAGE OUTP	DO YOU USE OF REFER TO RIPPLE AMPLI	TOU USE OR REFER TO	DO YOU USE OR REFER TO SHAPE OF OUTPUT WAVEFOR	MAZ-21 00 TOU USE OR REFER TO EFFECTIVE DUTPUT VOLTAGE		FILTERS	H2-24 DO YOU WORK MITH CIRCUITS WHICH EMPLOY CAPACITIVE	14PUT (-TYPE FILTERS 18CUITS MAICH EMPLOY 18CUCTIVE		HILTER DO YOU WORK WITH CIRCUITS WHICH EMPLOY LC PI-TYPE	H2-27 DO YOU WORK MITH CIRCUITS WHICH EMPLOT RC PI-TYPE	HZ-28 DO YOU WORK WITH CIRCUITS WHICH EMPLOY DOM'T	REMEMBER WHICH TYPE OF FILTER H2-29 DO YOU MAVE THE OFTION OF REFLACING ONE TYPE OF	ER WITH A DIFFERENT TYPE FILTER

The second of th

PCT MBRS RESPONDING .YES. BY SELECTED GRPS

こうして 大田大いかい しょうし

GPSUMS PAGE 20

TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING

				MULTIVIBRATORS
¥ 8		4-00-000-		-00 00 0 0 0
30 80	<b></b>	~~~~~	a c a c c c c c c a	
9PC 079	-24 40	****	= * * * * * * * * * * * * * * * * * * *	*** ** * * * *
200	~~~~	00000000	**************************************	N N C & CO OON
8 C	=	udenatta		
3PC 074	0	*****	• N F A FENNA	
DY-79K	513 H3-02 GO YOU INSPECT OSCILLATORS 514 H3-02 DO YOU ALIGN OR ADJUST OSCILLATORS 515 H3-04 DO YOU RENOVE OR REPLACE COMPLETE OSCILLATORS 514 H3-05 DO YOU RENOVE OR REPLACE OSCILLATOR COMPONENTS 517 H3-04 DO YOU TROUBLESHOOT TO OSCILLATOR COMPONENTS 518 H3-05 DO YOU USE OR REFER TO PREDBACK 520 H3-05 DO YOU USE OR REFER TO PREDBACK	333333333	CIRCUITS AS FOD  H3-19 DO 70U MORK WITH OSCILLATORS WHICH USE RC METHOR FDD  H3-20 DD 70U WORK WITH OSCILLATORS WHICH USE CRYSTALS FDD  H3-21 DO 70U WORK WITH OSCILLATORS WHICH USE DON'T REM WHICH TYPE OF FDD  H3-22 DO 70U WORK WITH SERIES HARTLEY SINUSOIDAL OSCILLATORS H3-23 DO 70U WORK WITH SHUNT HARTLEY SINUSOIDAL OSCILLATORS H3-24 DO 70U WORK WITH GOLFITTS SINUSOIDAL OSCILLATORS H3-25 DO 70U WORK WITH BUTLER SINUSOIDAL OSCILLATORS H3-27 DO 70U WORK WITH BUTLER SINUSOIDAL OSCILLATORS H3-27 DO 70U WORK WITH DON'T REMEMBER WHICH TYPE OF	619 11-01 DO YOU WORK WITH MULTIVIBRATORS IN YOUR PRESENT JOB 610 11-02 DO YOU INSPECT WAVE GENERATING OR SHAPING CIRCUITS CIRCUITS 642 11-03 DO YOU ALIGN OR ADJUST WAVE GENERATING OR SHAPING CIRCUITS 642 11-04 DO YOU CALIBRATE WAVE GENERATING OR SHAPING CIRCUITS 643 11-05 DO YOU TROUBLESHOOT TO WAVE GENERATING OR SHAPING CIRCUITS 644 11-05 DO YOU PROUBLESHOOT TO WAVE GENERATING OR SHAPING CIRCUITS 645 11-07 DO YOU REHOVE OR REPLACE COMPLETE WAVE GENERATING OR SHAPING COMPONENTS 646 11-08 DO YOU REHOVE OR REPLACE WAVE GENERATING OR SHAPING COMPONENTS 647 11-09 DO YOU MORK WITH MULTIVIBRATORS WHICH COMTAIN LC TANK CIRCUITS

	•			Na -			Ē					The second second second second		110								•									-1	
									CAN SOUTH	CLAMPERS AND								ELECTRON TUBES														
		200	•	-	•	•	• -	• •	-				• •	-	-0					~;	:-		. 0	-:		0	•		=		•	
=		50	•	•	•	•			•	-	00	•	•	0	•	:	:	=:	: •	٥:	. •	•	• •	0		. 0	•	• •	•	•	•	•
75.5		45	=	•	•	0	=:	2.0	*	25	2=	=:	• •	= :	12	:		*	==	=:	7	-:	•	•	20	~		::	25	::	:	•
GPSUNE PAGE		25	~	•	•	~	~ •	• •	-	~	~ ~	~	~ ~	~	<b>NO</b>	1	:	5:	:=	~ ;		<b>.</b>		s (	~ •	0	:	: =	=	2 = =	2	•
•		35	•	•	•	•	<b>6</b>	• •	-	•	- •	• •	=	• •	• •		:	::	==	• ;	2	•	~	<b>.</b>	<u>-</u> •	-	:	: 2	52	22	=	•
		370	•	-	~	•	•	~	=	•	- •	•	• •	• •	•	2	3	25	- 2	-:	•			•	2 4	-	:	:	25	220	=	-
PET MARS RESPONDING .YES' BY SELECTED GAPS	PERCENT MEMBERS PERFORMING	0Y-19K	SES IT-TO DO YOU WORK WITH MULTIVIERATORS MAICH CONTAIN RC	SAP 11-11 DO YOU MORK MITH MULTIVIBRATORS WHICH CONTAIN	SEC 11-12 DO VORK WITH MULTIVIERATORS WHICH CONTAIN DON'T	11-13 DO YOU WORK WITH ASTABLE MULTIVIBR	DO YOU WORK WITH MONOSTABLE HULTIN	HI-14 DO YOU WORK	I SES 12-01 BO YOU NORK MITH LIMITERS OR CLAMPERS IN YOUR	YOU WORK WITH	12-04 DO YOU WORK WITH LIMITERS WITH BIA	YOU WORK WITH	12-07 DO YOU WORK WITH DON'T KNOW WHICH TYPE	12-08 DO YOU WORK WITH BASIC DIDDE CLAMPING C.	TOU WORK	CINCULT THROUGH PRESENT LOS. ON YOU HORK ON COULDERS MISCH	CONTAINS ELECTRON TUBES	RON TUBES TO SEE	13-04 DO YOU USE AULTIMETERS TO CHECK EL	13-05 DO YOU USE SCOPES TO CHECK ELECTRON TUBES	13-07 DO YOU USE OF REFER TO CUTOFF	572 13-08 DO YOU USE OF REFER TO PEAK INVERSE VOLTAGE PATING	13-10 DO YOU USE OR REFER TO TRANSIT TIME	675 13-11 DO TOU USE OR REPER TO PLATE DISSIPATION RATING	13-13 DO YOU USE OR REPER TO DE PLATE RE	578 13-14 DO YOU COMPUTE ACTUAL VALUES OF THE DC PLATE	RESIDENTANCE FOR ELECTRON TUBES	:	2	::	-	PACTOR THE AMPLIFICATION FACTOR FOR TR

ということ かんかん ないない かんない かんしょう

TASK GROUP SUNTARY PERCENT MEMBERS PERFORNING							
	200	SPC	366	300	345	SPC	
07-T9K	62	011	070	074	0		
DO YOU CALCULATE ACTUAL VALUES OF TRIODE	•	-	•	•	•	•	
	•	•	•	•	•	•	
	-	-	•	~	•	>	
E V	•	-	•	•	0	•	
TONOUCIANGES DO YOU USE OR REFER TO THE ELECTRON TUBE PARAMETER O AC DIATE RESERVANCE	-	-	•	~	0	•	
	-	-	•	~	0	0	
DO YOU USE OR REFER TO ELECTRON TUBE INTERELECTRODE	-	~	0	•	0	•	
80 36n	•	-	•	~	•	•	
YOU USE CHA	-	-	•	•	•	•	
TON A SPECIFIED	-	~	•	•	0	•	
USE CHARACTE	~	~	•	•	•	•	
DO YOU USE CHARACTERISTIC CURVES TO SELECT BIAS	-	~	•	•	•	۰	
	12	=	=	2	•	•	
U USE OR REFER	1	•	7	=	•	•	
500	2	=	=	:	0	-	
	0.	•	13	•	•	1	
PIER GAIN DO TOU USE OSCILLOSCOPES TO DETERMINE ELECTRON TUBE	•	•	~	•	•	•	
CHARACTE	•	•	•	0	•	•	
	•	•	•	•	•	•	
OR REFER TO TUB	7	5	=	=	-	•	
TO THE OF SEVEN TO PIX NUMBERS OF STREET	÷ ,	?	2 4	:	•	= 6	
OF THE ENITTING SURFACE IN	•		•	•	•	•	
ER TO TUBE SUB	*	2	*	2	•	2	
TOU WORK WI	2	2	2	:	•	2	ELECTRON TUBE
	•	•	•	2	•	•	AMPLIFIERS AND CIRCUITS
	THE STATE OF THE S	TOU CALCULATE ACTUAL VALUES OF TRIODE  ATION PACTORS  TOU USE ON REFER TO NULTIBRID (TETRODE, PENTODE, TOU USE ON REFER TO ELECTRON TUBE TRANSCONDUCTANCE THE SASURED IN HINDS) TOU CALCULATE ACTUAL VALUES OF ELECTRON TUBE TOU USE ON REFER TO THE ELECTRON TUBE PARAMETER CELATE RESISTANCE TOU USE ON REFER TO THE ELECTRON TUBE PARAMETER TOU USE ON REFER TO ELECTRON TUBE INTERFLECTRONE TOU USE ON REFER TO ELECTRON TUBE INTERFLECTRONE TOU USE ON REFER TO ELECTRON TUBE AMPLIFIER TOU USE CHARACTERISTIC CURVES TO SELECT PLATE TOU USE CHARACTERISTIC CURVES TO SELECT PONT TOU USE ON REFER TO ELECTRON TUBE AMPLIFIER TOU USE ON REFER TO ELECTRON TUBE AMPLIFIER TOU USE ON REFER TO ELECTRON TUBE CAPACITANCES SUCH TOU USE ON REFER TO PLECTRON TUBE CAPACITANCES SUCH TOU USE ON REFER TO PIN NUMBERING SYSTEMS TOU USE ON REFER TO PIN NUMBERING SYSTEMS TOU USE ON REFER TO PIN NUMBERING SYSTEMS TOU USE ON REFER TO THE ENTITING SUBTRIBLE TO USE ON REFER TO THE ENTITING SUBTRIBLE TOU USE ON REFER TO THE ENTITION TO SUBTRIBLE TOU USE ON REFER TO THE ENTITION TO SUBTRIBLE TOU USE ON REFER TO THE ENTITION TO SUBTRIBLE TOU USE ON REFER TO TH	TOU CALCULATE ACTUAL VALUES OF TRIODE.  TOU USE ON REFER TO WULTIONED (TETRODE, PENTODE, TATION PACTORS)  TOU USE ON REFER TO WULTIONED (TETRODE, PENTODE, TOU USE ON REFER TO WILLIES OF ELECTRON TUBE FARMETER  TOU CALCULATE ACTUAL VALUES OF ELECTRON TUBE  TOU CALCULATE ACTUAL VALUES OF ELECTRON TUBE  TOU USE ON REFER TO THE ELECTRON TUBE PARMETER  TOU USE ON REFER TO ELECTRON TUBE INTERELECTRODE  TOU USE ON REFER TO ELECTRON TUBE AMPLIFIER AIN TOUR  TOU USE ON REFER TO ELECTRON TUBE AMPLIFIER AIN TOUR  TOU USE CHARACTERISTIC CURVES TO SELECT PLATE  FOR A PECTIFIC BASE  TOU USE CHARACTERISTIC CURVES TO SELECT BIAS  TOU USE CHARACTERISTIC CURVES TO SELECTRON TUBE  TOU USE CHARACTERISTIC CURVES TO DETERMINE ELECTRON TUBE  TOU USE CHARACTERISTIC CURVES TO DETERMINE BY THE BASE OF SECRET TO THE TIME SYNCH USE AMPLIFIER SAIN THE BASE OF SECRET TO THE TIME SYNCH USE AMPLIFIER SAIN THE BASE OF SECRET TO THE TIME SYNCH USE ON REFRE TO THE SYNCH SYNCH SYNCH USE ON REFRE TO THE SYNCH USE ON REFRE TO THE SYNCH SYNCH USE ON REFRE TO THE SYNCH SYNCH USE ON REFRE TO THE SYNCH SYNCH SYNCH USE ON REFRE TO THE SYNCH SYNCH SYNCH SYNCH USE ON REFRE TO THE SYNCH S	TOU CALCULATE ACTUAL VALUES OF TRIODE ATION PACTORS ATION PACTOR ATION PACTOR ATION PACTOR PA	TOU CALCULATE ACTUAL VALUES OF TRIODE ATION PATIONS ATION PATIONS ATION PATIONS TOU USE OR REFER TO HULTIARID (TETRODE, PENTODE, TOU USE OR REFER TO HULTIARID (TETRODE, PENTODE, TOU USE OR REFER TO THE ELECTRON TUBE PARMETER TOU USE OR REFER TO THE ELECTRON TUBE PARMETER TOU USE OR REFER TO THE ELECTRON TUBE PARMETER TOU USE OR REFER TO THE ELECTRON TUBE PARMETER TOU USE OR REFER TO THE ELECTRON TUBE PARMETER TOU USE OR REFER TO THE ELECTRON TUBE PARMETER TOU USE OR REFER TO THE ELECTRON TUBE TO SELECT PLATE TOU USE CHARACTERISTIC CURVES TO SELECT PLATE TOU USE TO THE CHECKERS TO DETERMINE ELECTRON TUBE TOU USE TO STAIN THE TO PLATE WITHING SOUTH TO THE TO PLATE TO THE THE THE TO PLATE TO THE THE TO THE THE THE TO THE THE THE TO THE THE THE TO THE THE THE THE TO THE THE THE THE TO THE	TOU USE CHARACTERISTIC CURVES TO SELECTRON TUBE  TOU USE CHARACTERISTIC CURVES TO SELECTRON TUBE  TOU USE CHARACTERISTIC CURVES TO SELECTRON TUBE  TOU USE CHARACTERISTIC CURVES TO SELECT RODE  TOU USE CHARACTERISTIC CURVES TO SELECTRON TUBE  TOU USE CHARACTERISTIC CURVES TO SELECTRON TUBE  TOU USE CHARACTERISTIC CURVES TO SETEMINE ELECTRON  TOU USE CHARACTERISTIC CURVES TO SETEMINE  TOU USE CONTINUE TO TUBE SOURTINE SERVING  TOU USE CONTINUE TO TUBE SOURTINE SERVING  TOU USE OF THE MINING THE SERVING TO THE SOURTINE	TOU USE CHARTER TO THE LECTRON TUBE TRANSCONDUCTANCE  TOU USE ON REFER TO THE LECTRON TUBE TRANSCONDUCTANCE  TOU USE ON REFER TO THE LECTRON TUBE TRANSCONDUCTANCE  TOU USE ON REFER TO THE LECTRON TUBE TRANSCONDUCTANCE  TOU USE ON REFER TO THE LECTRON TUBE TRANSCONDUCTANCE  TOU USE ON REFER TO THE LECTRON TUBE TRANSCONDUCTANCE  TOU USE ON REFER TO THE LECTRON TUBE TRANSCONDUCTANCE  TOU USE ON REFER TO THE LECTRON TUBE TRANSCONDUCTANCE  TOU USE ON REFER TO THE LECTRON TUBE TRANSCONDUCTANCE  TOU USE CHARTER TO THE LECTRON TUBE TRANSCONDUCTANCE  TOU USE CHARTER TO THE LECTRON TUBE ANTIFIER CAIN  TOU USE CHARTER TO THE LECTRON TUBE ANTIFIER CAIN  TOU USE CHARTER TO THE LECTRON TUBE ANTIFIER CAIN  TOU USE CHARTER TO THE LECTRON TUBE ANTIFIER  TOU USE CHARTER TO THE ENTITING SURFACE THATE  TOU USE CHARTER TO THE RETTING SURFACE THATE  TOU USE ON REFER TO THE RETTING SURFACE THATE  TOU USE ON REFER TO THE RETTING SURFACE THATE  TOU USE ON REFER TO THE RETTING SURFACE THATE  TOU USE ON REFER TO THE RETTING SURFACE THATE  TOU USE ON REFER TO THE RETTING SURFACE THATE  TOU USE ON REFER TO THE RETTING SURFACE THATE  TOU USE ON REFER TO THE RETTING SURFACE THATE  TOU USE ON REFER TO THE RETTING SURFACE THATE  TOU USE ON REFER TO THE SUBSTITUTION MATERIAL  TOU USE ON REFER TO THE RETTING SURFACE THATE  TOU USE ON REFER TO THE SUBSTITUTION MATERIAL  TOU USE ON REFER TO THE SUBSTITUTION MATERIAL  TOU USE ON REFER TO THE SUBSTITUTION MATERIAL  TOUS ON THE TOUR SUBSTITUTION THAT THE TOUR SUBSTITUTION THATE TO THE SUBSTITUTION THATE THE TOUR SUBSTITUTION THATE TO THE SUBSTITUTION

The state of the s

TASK GROUP SUMMANY								
PERCENT MEMBERS PERTORNING								
OY-10k	940	SPC 017	970	940	30	30		
411 J1-03 DO YOU TROUBLESHOOT OR REPAIR PARAPHASE AMPLIFIERS 412 J1-04 DO YOU TROUBLESHOOT OR REPAIR PUSH-PULL AMPLIFIERS 413 J1-05 DO YOU TROUBLESHOOT OR REPAIR COMPOUNDS-COMMECTED	*1:	•	=#=	= 22	0.00	-3-		
APPLIFIENS JET JI-DE DO YOU TROUBLESHOOT OR REPAIR CASCADE-CONNECTED	•	•	=	=	•	•		
J 615 JI-07 DO YOU TROUBLESHOOT OR REPAIR DON'T KNOW WHICH TYPE	2	•	*	2	=	•		
J 616 JEFOL DO YOU WORK WITH 6AS TUBES INDT CATHODE OR COLD	1	20	-	*	•	=		
617 J2-02 DD YOU WORK, MITH CATMODE-RAY TUBES	27	**	~•	22	40	-	SPECIAL PURPOSE ELECTRON TUBES	
TROUBLESHOOT OR REPAIR	~	-	•	•	-	-		
420 J2-05 DO YOU USE OR REFER TO THE CHARACTERISTICS OF	•	-	•	•	0	-		
421 J2-D4 DO YOU TROUBLESHOOT OR REPAIR CIRCUITS IN WHICH	•	-	•	•	•	-		
	~	•	•	•	•	-		
ELECTRON SONS OF CATHODE-RAY TUBES (CRY) J 623 J2-08 DO YOU USE OR REFER TO THE PRINCIPLES OF OPERATION OF ELECTRONAGNETIC DEFLECTION SYSTEMS OF CATHODE-RAY TUBES	-	~	•	~	•	-		
INCIPLES OF OPEN		-	•	~	•	•		
	•	•	0	•	•			
JZ-11 DO YOU USE OR REFER TO AQUADAS C	0	0		0	0	0		
J2-12 DO YOU USE OR REFER TO PERSIST	0 -	- ~	00	•	• •	<b>-</b>		
J2-14 DO TOU USE OR REPER TO DECAT	2	~	~	~	•			
CALLS DO YOU USE OF BEFFER TO PLUCKENCHACK	•	• •	00					
J3-01 DO YOU WORK ON TRANSMIT OR RE	-	-	0	~	•	-		
JS-02 DO YOU PERFORM TASKS ON FREQUENCY	-	-	•	0	•	-	MODULATION, AND	
		~ -	00	N 0	00		DEMODULATION	
THE WOOD TOWNS THE WASHING OF THE TOWNS OF THE TOWNS THE TOWNS OF THE	•	-	0	۰	q	-		
J3-04 60 TOU PERFORM TASKS ON HODULATED OSCILLATORS	1	-	0	0	•	-		
638 KI-01 DO YOU WORK ON AN TRANSMIT OR RECEIVE SYSTEMS IN YOUR	0	-	0	0	0	-		
			00	• •	00		AM SYSTEMS	
KI-04 DO YOU ALIEN OR ADJUST AN TRAN	•		•		•			

The state of the s

PARTICLE STATE OF SELECTED SAFES  DE TOU INQUELESTOOT TO AN TRANSHIT OR RECEIVE  DE TOU INQUELESTOOT TO AN TRANSHIT OR RECEIVE  DE TOU INQUELESTOOT TO AN TRANSHIT OR RECEIVE  DE TOU RETOUR TAKES ON AT COLLIATORS  DE TOU VERTORM TAKES ON AT COLLIATORS  DE TOU USE ON AFFER TO SELECTIVITY OF RECEIVES  DE TOU USE ON AFFER TO SELECTIVITY OF RECEIVES  DE TOU USE ON AFFER TO SELECTIVITY OF RECEIVES  DE TOU USE ON AFFER TO SELECTIVITY OF RECEIVES  DE TOU USE ON AFFER TO SELECTIVITY OF RECEIVES  DE TOU USE ON AFFER TO SELECTIVITY OF RECEIVES  DE TOU USE ON AFFER TO SELECTIVITY OF RECEIVES  DE TOU USE ON AFFER TO SELECTIVITY OF RECEIVES  DE TOU USE ON AFFER TO SELECTIVITY OF RECEIVES  DE TOU USE ON AFFER TO SELECTIVITY OF RECEIVES  DE TOU USE ON AFFER TO SELECTIVITY OF RECEIVES  DE TOU USE ON AFFER TO SELECTIVITY OF RECEIVES  DE TOU USE ON AFFER TO SELECTIVITY OF RECEIVES  DE TOU USE ON AFFER TO SELECTIVE STATEMENT  DE TOU USE ON AFF		716 46		-	-	_		-		 	-	-				1	-	0		D FM SYSTEMS	• •	•	0	0	0
TOTAL   146   STELECTED GAPES   TOTAL   12   STELECTED GAPES   TOTAL   146   STELECTED GAPES							00		00				00				•				00	 0	-	•	•
TOTALING  TOTALI					•	•	• •	0	00		•	•	00	٥.		 •	•	0	•		0 0	2	•	•	
TORNING  TO THE TARKS OF TARMSHIT OR RECEIVE STERNS  THOUSE ENHOOT TO AN TRANSHIT OR RECEIVE STERNS  THOUSE ENHOOT TO AN TRANSHIT OR RECEIVE STERNS  THOUSE ON REPLACE AN TRANSHIT OR RECEIVE STERNS  THOUSE STERNS ON RE ANTIFIERS  THOUSE STERNS ON REPLACE AN TRANSHIT OR RECEIVE STERNS  THOUSE ON REPER TO SELECTIVITY OF RECEIVE STERNS  THOUSE ON REPER TO SELECTIVITY OF RECEIVERS  THE ON REPER TO SHORT TRANSHIT OF RECEIVE STERNS  THE ON REPER TO SHORT TRANSHIT OF RECEIVE STERNS  THE ON REPER TO SHORT TRANSHIT OF RECEIVE STERNS  THE OF REPER TO SHORT TRANSHIT OF RECEIVE STERNS  THE OF THE MANNIT OF RECEIVE STERNS  THE OF TRANSHIT OF TRANSHIT			00	•	•	•	• •		00	 • •	•	•	00	•		 •	•	0	•		00	 ,	•	•	0
TORNING  OY-TAK  ROUBLESHOOT TO AN TRANSHIT OR RECEIVE  ENOVE CAR RELACE AN TRANSHIT OR RECEIVE  ENOVE CAR RELACE AN TRANSHIT OR RECEIVE  ENOVE OR REPLACE AN TRANSHIT OR RECEIVE  SE OR REFER TO SELECTIVE STABILIZATION IN  SE OR REFER TO SELECTIVE STABILIZATION  SE OR REFER TO SELECTIVE STATEMS  SECON REFER TO SE	•			-	-	-		-		 -	-	-				 -	-		d			,	-	•	0
TORNING  OV-TSK  TOUGHESHOOT TO AN  ENOUGHESHOOT TO AN  ENOUGHESHOOT TO AN  ENOUGHESHOOT TO AN  ENTORN TASKS ON REPLACE  SECON REPER TO SECON		946		-	-	-		-		 •	•	-			-	 •	•	0	c	0	0 0	•	•	•	•
			TENS							•						-		1					1		

THE REAL PROPERTY AND ADDRESS OF THE PARTY AND							
TASK GROUP SUNTANT							
DY-19K	3.6	8PC 077	8PC 078	390	\$ 000 000	8PC	
676 KR-11 DO YOU PERFORM TASKS ON DRIVERS (INTERMEDIATE	•	•	•	•		•	
KA-12 DO YOU PERFORM TASKS ON	0	00	00	00	0	06	
PERSONAL PASS ON AN ESPONAL PROPERTY	• 0						
K2-15 DO YOU PERFORM TASKS ON	•	•		•			
KR-16 DO YOU PERFORM TASKS ON	0 0	0 0	0 0	•	0	0 0	
DO YOU TRACE SIGNALS OR CURRENT PA		-	• •	~			
SCHEMENT OF STATE OF THE TRANSPORT OF STATE OF S	•	•	,	•	,	•	
SCHEMATIC DIAGRAMS OF TH RECEIVERS					•		
S K3-01 DO TOU CONVERT DECINAL (BASE 10) NUMBERS TO OCTAL	•	-	-	~		7	
ABS KA-DS DO YOU CORVERT DECIMAL NUMBERS TO BINARY (BASE 2)		•	01	~		NUMBERING	
NUMBERS						STSLEMS	
K3-03 DO YOU CONVERT OCTAL NUMBERS TO DE	•	•	~ .	~ (		•	
= 0	•	- ~	• 0	ه د			
K3-04	•	•	•			4	
441 K3-67 DO YOU ADD BINARY MUNDERS TO BET A SUM 442 K3-68 DO YOU SUMBERS THANK NUMBERS USING THE WAS ABOUNDED	••	• •	2	•	-		
CARRY METHOD							
AND KULDY DO YOU SUBTRACT BIRARY NUMBERS USING THE DIRECT	•	•	•	~	0	•	
SUBTRACTION ALTHON	•	-	•	0	9	4	
L 645 LI-DI IN YOUR PRESENT JOB, DO YOU PERFORM ANY TASKS	0	-2	•	20	•	•	
L 696 L1-02 DO TOU CONSTRUCT TRUTH TABLES FOR AND LOGIC STABOLS	•	•	~	•	•	7 LOGIC FUNCTIONS	
647 LI-03 DO YOU CONSTRUCT TRUTH TABLES FOR OR LOSIC SYMBOLS	•	•	~	-	•		
STREET TO TOU CONSTRUCT TRUIT TABLES FOR AND OR OR LOGIC	*	•	~	-	-		
	~	~	~	~	•	•	
SYMBOLS OR GATES TO LIBOR DO YOU USE OR REFER TO TRUTH TABLES FOR AND LOGIC	•	•	~	,	•		
SYMBOLS OR GATES							
701 LI-07 DO YOU USE OR REFER TO TRUTH TABLES FOR OR LOGIC	•	•	~	1	•	7	
REFER	•	•	~	•	•		
LOSIC STREETS MITH STATE INDICATORS TOS LI-OF DO YOU USE OR REPER TO TRUTH TABLES FOR EXCLUSIVE OR	-	-	~	~			
LOGIC SYMBOLS		•					
TOP LIFET DO YOU USE OR REFER TO LOGIC SYMBOLS YOR AND GATES	• •	•		::	00		
THE PERSON NAMED IN CO. OF PERSON OF PARTY OF PA	•	•					

ころんな 大林大丁の教でするか

BOOL EAN EQUATIONS 33 50 2 SPEUME PAGE 370 25 3PC 350 729 LZ-22 DO YOU MEASURE OUTPUT MAMESHAPES OF LOGIC CIRCUITS 730 L2-23 DO YOU TRACE DATA FLOW THROUGH COMPLEMENTED FLIP-FLOP L 715 L2-05 DO YOU USE OR REFER TO LOGIC SYMBOLS FOR DIRECT COUPLED TRANSISTOR LOGIC (OCTL) CIRCUIT GATES
L 714 L2-07 DO YOU USE OR REFER TO TRUTH TABLES FOR CURRENT HODE LOGIC (CML) CIRCUITS
LOGIC (CML) CIRCUITS
L 717 L2-10 DO YOU USE OR REFER TO LOGIC DIAGRAMS COMSISTING OF MORE THAN ONE GATE YOU USE OR REFER TO COMPLEMENTING PLIP-FLOP LOGIC 21907 L 721 L2-14 DO YOU WORK MITH BISTABLE (FLIP-FLOP) MULTIVIBRATORS L 722 L2-15 DO YOU WORK MITH MONOSTABLE (ONE-SHOT) L 718 L2-11 DO YOU COMPUTE SUN AND CARRY EXPRESSIONS FOR SERIAL MALF OR FULL ADDER LOGIC DIAGRAMS
L 719 L2-12 DO YOU TRACE DATA FLOW THROUGH PARALLEL FULL ADDER L 707 LI-13 BO TOU USE OR REFER TO LOGIC STREOLS FOR EXCLUSIVE L 708 LZ-01 IN YOUR PRESENT JOS, DO YOU PERFORM ANY TASKS
L 708 LZ-01 IN YOUR PRESENT JOS, DO YOU PERFORM ANY TASKS
RELATING TO BOOLEAN EQUATIONS, LOGIC DIAGNAMS: ON LOGIC L 712 L2-09 DO YOU MEASURE INPUTS OR OUTPUTS OF LOGIC GATES
L 713 L2-06 DO YOU DEVELOP OR ANALYZE BOOLEAN ERUATIONS IN THE
PROCESS OF TROUBLESHOOTING DIGITAL CIRCUITS
L 714 L2-07 DO YOU ANALYZE LOGIC CIRCUITS BY USING BOOLEAN L 731 L2-29 DO YOU TRACE DATA FLOW THROUGH COMPLEMENTING FLIP-FLOP SCHEMATIC DIAGRAMS L 732 L2-25 DO YOU CONSTRUCT TRUTH TABLES FOR J-K FLIP-FLOP LOGIC STMBOLS YOU USE OR REFER TO FLIP-FLOP CIRCUIT DIAGRAMS YOU USE OR REFER TO FLIP-FLOP TRUTH TABLES YOU USE OR REFER TO COMPLEMENTED FLIP-FLOP L 724 LZ-17 DO YOU USE OR REFER TO SINGLE-SHOT MULTIVIERATOR CIRCUITS
L 709 L2-02 DO YOU DRAW LOGIC SYMBOLS FOR DIRECT COUPLED
TRANSISTOR LOGIC (DCTL) CIRCUITS
L 710 L2-03 DO YOU CONSTRUCT TRUTH TABLES FOR CURRENT MODE L 723 L2-16 DO TOU USE OR REFER TO FLIP-FLOP MULTIVIORATOR (CML) CIRCUITS L 711 L2-04 DO YOU DRAW LOGIC DIAGRAMS FROM GIVEN BOOLEAN L 720 L2-13 DO YOU WORK WITH ASTABLE (FREE RUNNING) PET MARS RESPONDING .YES! BY SELECTED GAPS DY-75K PERCENT HENDERS PERFORNING LOGIC DIAGRAMS L 726 L2-21 DO YOU US EGUATIONS 727 12-20 00

こうちゃ とんなる いちゃく

TASK GROUP SUNNARY PERCENT HEMPERS PERFOREING						
Dr-15K	5PC 5PC 076 077	2 860	9.6		20	
La-el be you work with prestal count	••	21.	=	0	='	
00 TOU USE OR REPER TO	•			00	• •	
L3-D4 GO YOU USE OR REFER TO	<b>-</b>	• •	~ ~	0 0		COUNTERS
L1-04 00 YOU USE OR REPER TO RING COUN	~	2	•	0	•	
739 [3=07 00 705 USE OR REFER TO DECADE COUNTERS	~~	0 10	• •	00		
L3-09 DO YOU USE OR REFER TO	~•	-	••	0		
13-11 00 100		-	-	9	0	
TO SECURE AND A DESCRIPTION OF THE PROPERTY OF THE PARTY	-	•	•	•	•	
745 L3-13 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF	-	-	-	0	•	
744 L3-14 DO YOU TRACE DATA FLOW THROUGH LOGIC DIAGRAMS OF	-	•	•	•	•	
	•	-	*	0	•	
SERIAL UP-COUNTERS FEGDING A PARCLEL STORAGE REGISTER	-	0	•	•	•	
SAIPT REGISTERS	-	,	•	•	-	
OTHER TYPE OF COUNTERS			•	•		
THE CALLS OF THE CONTRACT MANAGEMENT OF THE SPECIAL DATES OF THE STREET	•	•	~	•	•	
THE LAST BO YOU COMPUTE THE BENEAT COUNTERS MAYING COMPUTERS	•		•	0	•	
-	-	0	~	-	-	
PULSES FOR SERIAL UP-COUNTERS FEEDING A PARALLEL STORAGE						
753 L3-21 DO YOU COMPUTE THE BINARY COUNT APTER SPECIFIC INPUT	~	2	1	•	•	
754 L3-22 DO YOU CONSTRUCT TRUTH TABLES FROM LOGIC DIAGRAMS OF	•	0	•	•	•	
L 755 L3-23 DO YOU DETERNINE THE STATE OF EACH FLIP-FLOP IN RING	-	•	-	0	0	
CONTRACTOR TO SELECTION OF THE SECOND SECURIOR SECOND SECO	•		•	•	٥	
IN COUNT DETECT CINCUITS TO INDICATE A RES			•	•		
SECTION OF THE STATE OF THE STATE STATE STATE OF THE SECTION OF TH	• •	•	=*	•		TINIMO CIOCUITE
			. 9	. 0	•	THING CIRCUITS
A 740 HI-04 DO YOU WORK WITH PULSED OSCILLATORS WITHOUT	•	•	•	•	-	

1 - 1 - 1-1-1

PCT MBAS RESPONDING . YES! BY SELECTED GRPS

\*

CPSUMS PAGE 20

										USE OF SIGNAL GENERATORS									MOTORS AND	GENERATORS									
350			-	•	•	-	•	•	25	•	7	•		• •		• •	2	9	•	70	:	::	-		2 ~	-	• :		
300	•	0	•	•	•	0		•		•	•		•	0 1		-		:		::	::	=:	==	=	• •	•	-:	. •	n 0
350	••		=	•	•	•		•	22	2	*	0.		=-		• •	:	9		20	::	2:			: :	=	23	: 2	52
940	•	NO	•	•	•	0		•	~~	~			•	~ ~		0 0	~	2		7 :	: :	2:	2 2		~ ~	21	=;	2	~ ~
\$PC 077	• •	•	•	•	•	•		•	==	•	:	е	•	-	•	•	=	3		::	:	::	::		~~	=	2.5	=	-•
970	•	-	•	•	•	-		-	==	=	2	-		• •	•	• •	•	3		::		2:	::		~ ~	13	2:	=	••
0Y=78K	HI-DE DO YOU WORK WITH BLOCK!	763 MI-07 DO YOU USE OR REFER TO FAL	MI-DO DO YOU USE ON REFER TO SHEEF TIME		N 766 MI-10 DO YOU USE OR REFER TO PHYSICAL LENGTH OF SANTOOTH	N 767 MI-II DO TOU USE OR REFER TO LIMEAR SLOPE OF SANTOOTH	MAVEFORMS	N 768 HI-12 DO TOU USE OR REFER TO SATE LEMETH OF SAUTOOTH	N 749 M2-01 DO YOU USE SIGNAL GENERATORS IN YOUR PRESENT JOB N 770 M2-02 DO YOU PERFORM OPERATIONAL CHECKS MMILE USING SIGNAL	SECTION OF PERFORM PERSONGE MAINTENANCE SUCH AS ADMINISTRATING NOTING SIGNAL ADMINISTRATING NATIONAL DISTRIBUTIONS OF CALIBRATING NATIONAL DISTRIBUTIONAL DISTRIBUTIONA		WHILE USING SIGNAL GENERATOR	TOUR DE LE LE CONTROL SERVICE	N 774 MA-106 DO TOU USE AUDIO SIME-MANE SEMENATORS SUCH N 775 MA-107 DO TOU USE AUDIO MOR-SIMURDIOLE MANE SEMENATORS SUCH	AS SQUARE WAVE, TRIANGLE, PU	A 776 AZ-DE DO 100 OM AT GENERATORS LESS TARK 1,000 AM	M2-10 DO YOU USE OTHER SPECIA	H 779 H3-DI IN YOUR PRESENT JOB. DO YOU PERFORM ANY TASKS DEALING MITH ALTERNATING CURRENT OR DIRECT CURRENT HOTORS OR	GENERATORS	TARONAL MANDER OF TOWN OF THE PARTY MOTORS	762 H3-04 DO YOU OPERATE HOTORS	H3-05 DO YOU RENOVE OR REPLACE	785 M3-07 DO YOU TROUBLESHOOT AS	CONNECTIONS OF HOTORS	N 786 NATOR DO 700 TROUBLESHOOT DONN TO COMPONENT PARTS OF NOTORS N 1987 NATOR OF SOTORS OF STREET COLUMN	788 H3-10 50 TOU PERFORM ANY TASKS ON	I YOU IN I NO YOU PRESON ANY TANKS ON NOTONS	791 H3-13 DO YOU PERFORM ANY TASKS ON	N 742 NA-15 DO 400 PERFORM ANY TANKS ON CORNELATORS

270	350	970			¥=	
*	2	2	3	•	22	
=	2	:	:	•	*	
	=	=	==	•	20	
•	:	;			;	
. 2	2 2		::	=-	. 7	
-:	23	= :	2:	-	=:	
	: :	2	: 3	• :		
22	2	11	1	:=	=	
27	2	7	:	=	7	
2 :	::	9 :	=:	::	2	
: :	2	22	::	-	2	
•	•		•	•	•	
0:	11	0	9:	-	2:	
2	=	=	2	=	=	CENTRUM COLOR
=	=	7	-	•	•	METER MOVEMENTS
12	12	=	:	:	•	
~:	2	0:	2:	::	::	
::	:	::	::	::	::	
20	22	•	7	7.	22	
200	:	* 2	::	: 2	72	
-		1	1		-	
	2	2	:	•		
•	•	•	:	•	-	AND MAGNETIC
•	•	~	20		-	AMPLIFIERS
•	•	~	9	•	•	
-	=	0	52		-	
=	•	2	:	•	-	
•	•	~	•	•	•	
TUDE OF THE TUDE TOUS THE ABOVE HOTORS T		X8 8 = 1 83155333823 * 82 2 2 388833 = 1 * 7 = 2 *				

SINGLE SIDEBAND SYSTEMS MAVESHAP ING CIRCUITS 260 2 GPSUNS PAGE 8PC 070 \$PC 077 NE-DE DO YOU USE OR REPER TO HYBTERESIS CURVES OR LODPS
NE-DF DO YOU INTERPRET SCHEMATIC DRAWINGS TO DEVELOP OUTPUT
BLAVERORMS ACROSS REACTOR WINDINGS OF LOAD RESISTORS OF
SINGLE MINDING SATURABLE REACTORS
NE-LO DO YOU HEASURE OUTPUT WAVEFORMS ACROSS REACTOR
WINDINGS OR LOAD RESISTORS OF SINGLE WINDING SATURABLE REACTORS
828 NZ-11 DO YOU INTERPRET SCHEMATIC DRAWINGS TO DEVELOP-OUTPUT
MAVEFORMS FOR MAGNETIC AMPLIFIERS
829 NZ-12 DO YOU USE OR REFER TO COERCIVE FORCE IN SATURABLE 634 H3-01 DO YOU WORK WITH MAYESMAPING CIRCUITS IN YOUR PRESEN N3-06 DO YOU USE OR REFER TO DIFFERENTIATING CIRCUITS
N3-08 DO YOU USE OR REFER TO INTEGRATING CIRCUITS
N3-08 DO YOU USE OR REFER TO THE CLASSIFICATION OF TIME
COMBANYS (TC) AS LONG, MEDIUM, OR SHORT OF SHORT
N3-09 DO YOU DETERNINE METHER AN LR OR RC CIRCUIT IS
DIFFERENTIATING OR INTEGRATING BASED ON THE TIME CONSTANT SATURABLE REACTORS
N 833 M2-16 DO YOU USE OR REPER TO SATURABLE REACTOR SCHEMATIC REFER TO TRANSIENT INTERVALS
REFER TO PULSE RECURRENCE TIME (PRT)
REFER TO PULSE RECURRENCE TIME (PRT)
REFER TO PULSE RECURRENCE FREQUENCY MATURABLE REACTORS IN DENSITY IN SATURABLE IN 831 M2-14 DO YOU USE OR REFER TO FLUX DENSITY IN SATURABLE O 851 01-07 DO YOU REMOVE OR REPLACE SSS TRANSMIT OR RECEIVE O 852 01-08 DO YOU REMOVE OR REPLACE SSB TRANSMIT OR RECEIVE INSPECT 558 TRANSMIT OR RECEIVE SYSTEMS CLEAN 558 TRANSMIT OR RECEIVE SYSTEMS ALIGN 558 TRANSMIT OR RECEIVE TROUBLESHOOT TO 558 TRANSMIT OR RECEIVE N 843 N3-10 DO YOU WORK WITH SQUARE WAVE GENERATORS N 844 N3-11 DO YOU WORK WITH RECTANGULAR WAVE GENERATORS O 845 OI-01 DO YOU WORK ON SINGLE SIDEBAND SYSTEMS IN YOUR 850 01-06 DO YOU TROUBLESHOOT TO SSB TRANSMIT OR RECEIVE COMPONENTS MESS ME-15 DO YOU USE OR REFER TO POINT OF SATURATION IN N 830 N2-13 DO YOU USE OR REFER TO RESIDUAL MACHETISM IN PLT MBRS RESPONDING .YES. BY SELECTED GRPS DY-19K UT CONFIGURATION TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING 3800 N3-04 BO YOU WAS-07 BO YOU U 555 COMPONENTS REACTORS N3-02 B0 N3-04 DO IND OUT : 842 . : \*

PULSE MODULATION SYSTEMS 00000000000000 0000 0 -0000 00 0 0 0 0 = SPSUMS PAGE 35 5 PC 00000000000000 O 854 01-10 DO YOU PERFORM TASKS ON SSB AUDIO AMPLIPIEMS
O 854 01-11 DO YOU PERFORM TASKS ON SSB BALANCED MODULATORS
O 856 01-12 DO YOU PERFORM TASKS ON SSB BALANCED MODULATORS
O 856 01-13 DO YOU PERFORM TASKS ON SSB BLC FILTERS
O 856 01-14 DO YOU PERFORM TASKS ON SSB BLCHAILAL FILTERS
O 856 01-15 DO YOU PERFORM TASKS ON SSB BLCHAILAL FILTERS
O 856 01-15 DO YOU PERFORM TASKS ON SSB BLYKENS
O 856 01-16 DO YOU PERFORM TASKS ON SSB BLYKENS
O 856 01-19 DO YOU PERFORM TASKS ON SSB BLYKENS
O 856 01-20 DO YOU PERFORM TASKS ON SSB BLY AMPLIFIERS
O 856 01-20 DO YOU PERFORM TASKS ON SSB BLY AMPLIFIERS
O 856 01-20 DO YOU PERFORM TASKS ON SSB BLY AMPLIFIERS
O 856 01-20 DO YOU PERFORM TASKS ON SSB BLY AMPLIFIERS
O 856 01-20 DO YOU PERFORM TASKS ON SSB BLY AMPLIFIERS
O 856 01-20 DO YOU PERFORM TASKS ON SSB BLY AMPLIFIERS
O 856 01-20 DO YOU PERFORM TASKS ON SSB BLY AMPLIFIERS
O 856 01-20 DO YOU URE OF MEFER TO FEAR POWER
O 857 01-20 DO YOU USE ON MEFER TO FEAR POWER
O 857 01-20 DO YOU USE ON MEFER TO FEAR POWER
O 857 01-20 DO YOU USE ON MEFER TO FEAR POWER CUNVES FON YOU WORK ON PULSE-CODE HODULATION (PCH) SYSTEMS YOU WORK ON LINE PULSING HODULATION SYSTEMS YOU WORK ON DON'T REMEMBER WHICH TYPE OF THANSHITTERS

O 873 01-29 DO YOU TRACE SIGNALS OF CURRENT PATHS THROUGH SES

THANSHITTER SCHEMATIC DIAGRAMS

O 874 01-30 DO YOU TRACE SIGNALS OF CURRENT PATHS THROUGH SES

O 874 01-30 DO YOU TRACE SIGNALS OF CURRENT PATHS THROUGH SES

O 875 02-01 DO YOU MORK ON PULSE HODULATION SYSTEMS IN YOUR COMPONENTS 02-07 DO YOU REMOVE OR REPLACE PULSE MODULATION SYSTEMS 02-08 DO YOU REMOVE OR REPLACE PULSE MODULATION SYSTEM PRESENT JOB OZ-02 DO YOU INSPECT PULSE MODULATION SYSTEMS 02-02 DO YOU CLEAN PULSE MODULATION SYSTEMS 02-04 DO YOU ALIGH PULSE MODULATION SYSTEMS 02-05 DO YOU TROUBLESHOOT TO PULSE MODULATION SYSTEMS 02-06 DO YOU TROUBLESHOOT TO PULSE MODULATION SYSTEMS COMPONENTS
02-09 DO YOU WORK ON PULSE-AMPLITUDE HODULATION (PAN)
STSTEMS YOU WORK ON PULSE-POSITION HOBULATION (PPM) YOU WORK ON PULSE-DURATION HODULATION (POM) PCT MBAS RESPONDING .YES. BY SELECTED GRPS DY-78K TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING HODULATION SYSTEM \*\*\*\*\* ... ...

PET MARS RESPONDING . VES. BY SELECTED GAPS

The state of the s

GPSUMB PAGE 32

100 TOU PERFORM TARKS ON PULSE HODULATION SYSTEM 1106 CONTEST ADDRESS ON PULSE HODULATION SYSTEM 1106 CONTEST ADDRESS ON PULSE HODULATION SYSTEM 1107 TOURS AND CONTEST ADDRESS ON PULSE HODULATION SYSTEM 1108 CONTEST ADDRESS ON PULSE HODULATION SYSTEM 1108 TOUR EARTH TARKS ON PULSE HODULATION SYSTEM 1109 TOUR PERFORM TARKS ON PULSE HODULATION SYSTEM 1109 TOUR TERFORM TARKS ON PULSE HODULATION SYSTEM 1109 TOUR TERFORM TARKS ON PULSE HODULATION SYSTEM 1109 TOUR TARKET TO PULSE HODULATION SYSTEM 1109 TOUR TARKET SHIPPING TOUR TARKET	PULSE HODULATION SYSTEM  1 1 0 3  PULSE HODULATION SYSTEM  P	0y-79k	976	6 077	970	074		2	
PULSE MODULATION SYSTEM  PULSE MODULATION SYST	PULSE MODULATION SYSTEM  1 1 0 3 0 0  PULSE MODULATION SYSTEM  1 1 0 3 0 0  PULSE MODULATION SYSTEM  1 1 0 3 0 0  PULSE MODULATION SYSTEM  PULSE M	TOU PERFORM TASKS ON		-	•	•	•	•	
PULSE MODULATION SYSTEM  PULSE MODULATION SYST	PULSE MODULATION SYSTEM  PULSE MODULATION SYST	PULSE HOBULATION		-	•	•	•	•	
PULSE MODULATION SYSTEM  PULSE MECHANIEMEE FREQUENCY  PULSE MODULATION SYSTEM  PULSE MODULATION SYSTEM  PULSE MODULATION SYSTEM  PULSE MODULATION SYSTEM  PULSE MECHANIEMEE FREQUENCY  PULSE MODULATION SYSTEM  PULSE MODULAT	PULSE MODULATION SYSTEM  PULSE MODULATION SYST	PULSE HODULATION		-	•	•	•	•	
PULSE HODULATION SYSTEM  ONS  PULSE HODULATION SYSTEM  PULSE HODULATION	PULSE MODULATION SYSTEM  OMS  PULSE MODULATION SYSTEM  PULSE RECURRENCE TIME (PRT)  PULSE MODULATION SYSTEM  PULSE MODULA	PULSE HOBULATION		-	•	•	•	•	
PULSE MODULATION SYSTEM PULSE	PULSE MODULATION SYSTEM  PULSE MODULATION SYST	ON PULSE HODULATION		0	•	0	•	•	
PULSE MODULATION SYSTEM 0 1 0 2 0 0  PULSE MODULATION SYSTEM 0 1 0 2 0 0  PULSE MODULATION SYSTEM 0 1 0 2 0 0  PULSE MODULATION SYSTEM 0 1 0 2 0 0  PULSE MODULATION SYSTEM 0 1 0 2 0 0  PULSE MODULATION SYSTEM 0 0 0 0 0 0 0  PULSE MODULATION SYSTEM 0 0 0 0 0 0 0 0  PULSE MODULATION SYSTEM 0 0 0 0 0 0 0 0 0  PULSE MODULATION SYSTEM 0 0 0 0 0 0 0 0 0 0 0  PULSE MODULATION SYSTEM 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PULSE MODULATION SYSTEM 0 1 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PULSE HODULATION		-	•	*	•	•	
PULSE MODULATION SYSTEM RF 0 1 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PULSE MODULATION SYSTEM RF 0 1 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	_ 1		0	•	₩.	•	•	
PULSE HODULATION SYSTEM  PULSE RECURRENCE FREQUENCY  PULSE FRECURRENCE FREQUENCY  PULSE RECURRENCE FREQUENCY  PULSE FREQUENCY  PULSE RECURRENCE FREQUENCY  PULSE FREQUENCY  P	PULSE HODULATION SYSTEM  PULSE HODULATION SYST	PULSE HODULATION SYSTEM		•	•	~	•	•	
PULSE HODULATION SYSTEM  PULSE RECURRENCE FREQUENCY  PULSE RECURRENCE FREQUENCY  PULSE RECURRENCE FREQUENCY  PULSE SHAPE  FAX POWER  FAX POWER  FAX POWER  FAX POWER  COURRENCE TIME (PRT) OR PULSE  COURRENCE TIME (PRT) OR PULSE  COURRENT PATHS THROUGH PULSE  COURSE THROUGH PULSE  COURRENT PATHS THROUGH PULSE  COURSE THROUGH P	PULSE HODULATION SYSTEM  PULSE HODULATION SYST	PULSE HODULATION		- 0	•	~	•	•	
PULSE MODULATION SYSTEM  PULSE MODULATION SYSTEM  PULSE MODULATION SYSTEM  PULSE MODULATION SYSTEM  PULSE MECUNREMEE FREQUENCY  PULSE RECURREMEE FREQUENCY  PULSE RECURREMEE FREQUENCY  PULSE STATEM STATEM  PULSE RECURREMEE FREQUENCY  PULSE RECURREMEE FREQUENCY  PULSE RECURREMEE FREQUENCY  PULSE SHAPE  FEAR POWER  AVERAGE POWER  AVERAGE POWER  AVERAGE POWER  AVERAGE POWER  AVERAGE POWER OR  CURREMT PATHS THROUGH PULSE  CURREMT PATHS THROUGH PULSE  CURREMT PATHS THROUGH PULSE  CURREMT PATHS THROUGH PULSE  ATIC DIAGRANS  ATIC DIAGRANS  AND DIAGRA	PULSE MODULATION SYSTEM  PULSE MODULATION SYSTEM  PULSE MODULATION SYSTEM  PULSE MODULATION SYSTEM  PULSE MECUNERING FREQUENCY  PULSE MICHAEL SYSTEM  PULSE SHAPE  P	PULSE HODULATION			•	~	•	•	
PULSE MODULATION SYSTEM  PULSE MODULATION SYSTEM  PULSE HODULATION SYSTEM  ODULATION SYSTEM  PULSE RECURRENCE FREQUENCY  PULSE WIDTH (PWI)  PULSE	PULSE MODULATION SYSTEM  PULSE MODULATION SYSTEM  PULSE WODULATION SYSTEM  PULSE RECURRENCE FREQUENCY  PULSE RECURRENCE FREQUENCY  PULSE WIDTH (PW1)  PULSE WIDTH (PW	PULSE MODULATION		•	•	~	۰	•	
PULSE MODULATION SYSTEM  PULSE MODULATION SYSTEM  PULSE MECURAEMEE FREQUENCY  PULSE MICHAEMEE FREQUENCY  PULSE MICHAEMEE FREQUENCY  PULSE MICHAEMEE FREQUENCY  PULSE SHAPE  FEAR FORMER  AVERAGE POWER  AVERAGE POWER  AVERAGE POWER  AVERAGE POWER  AVERAGE POWER  CURRENT PATHS THROUGH PULSE  CURRENT PATHS THROUGH PULSE  CURRENT PATHS THROUGH PULSE  CURRENT PATHS THROUGH PULSE  ATIC DIAGRANS  AS IN YOUR PRESENT JOB	PULSE HODULATION SYSTEM  PULSE HODULATION SYSTEM  PULSE RECURRENCE FREQUENCY  PULSE RECURRENCE FREQUENCY  PULSE RECURRENCE FREQUENCY  PULSE SHAPE  P	PULSE HODULATION		0	•	•	•	0.	
PULSE MODULATION SYSTEM  ODULATION SYSTEM STAGES  PULSE RECURRENCE FREQUENCY  PULSE MIDTH (PW)  PULSE WICHRENCE TIME (PRT)  1 1 0 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PULSE HODULATION SYSTEM  ODULATION SYSTEM STAGES  PULSE RECURRENCE FREQUENCY  PULSE MIDTH (PW)  PULSE SHAPE  OD 1 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PULSE HODULATION		0	•	•	•	•	
PULSE RECURRENCE FREQUENCY  PULSE MIDTH (PW1)  PULSE SHAPE  PULSE OD 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PULSE RECURRENCE FREQUENCY  PULSE RECURRENCE TIME (PRT)  PULSE SHAPE  PULSE ON 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PULSE HODULATION		0	•	•	•	•	
PULSE RECURRENCE TIME (PRT)  PULSE MIDTH (PW)  PULSE SHAPE  1 1 0 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PULSE RECURRENCE TIME (PRT)  PULSE MIDTH (PW)  PULSE SHAPE  1 1 0 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	OR REFER TO PULSE RECURRENCE			•	•	•	•	
AVERAGE POWER AVERAGE	AVERAGE POWER AVERAGE POWER AVERAGE POWER AVERAGE POWER CURRENCE TIME (PRT) OR PULSE CURRENT PATHS THROUGH PULSE ATIC DIAGRANS CURRENT PATHS THROUGH PULSE CURRENT PATHS THROUGH PULSE ATIC DIAGRANS AND CORRENTS ATIC DIAGRANS AS IN YOUR PRESENT JOB  1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	YOU USE OR REFER TO PULSE RECURRENCE			00	~ -	00	00	
AVERAGE POWER  AVERAGE POWER  AVERAGE POWER  CALCULATE AVERAGE POWER OR  CALCULATE AVERAGE POWER OR  CALCULATE AVERAGE POWER OR  CURRENT PATHS THROUGH PULSE  CURRENT PATHS THROUGH PULSE  CURRENT PATHS THROUGH PULSE  CORRENTS  CORRENTS  AS IN YOUR PRESENT JOB  AS IN YOUR	AVERAGE POWER  AVERAGE FOWER  RECURRENCE TIME (PRT) OR PULSE  CURRENCE TIME (PRT) OR PULSE  CURRENT FATHS THROUGH PULSE  CURRENT PATHS THROUGH PULSE  CURRENT PATHS THROUGH PULSE  CURRENT PATHS THROUGH PULSE  CON TRANSMIST  CON TRAN	DO YOU USE OR REFER TO PULSE			00	• • •	•		
RECURRENCE TIME (PRT) OR PULSE 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	RECURRENCE TIME (PRT) OR PULSE 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	DO TOU USE OR REFER TO PEAK FO			00	~ ~	0 0	00	
CALCULATE AVERAGE POWER OR 0 1 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	CURRENCE TIME (PRT) OR PULSE 0 1 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	DO YOU CALCULATE PULSE	195	0	•	•	•	0	
CALCULATE AVERAGE POWER OR  ON TRANSMIT SYSTEMS CURRENT PATHS THROUGH PULSE  ATIC DIAGRAMS CORRENT PATHS THROUGH PULSE  O 0 0 0 0 0 C DIAGRAMS AS IN YOUR PRESENT JOS  AND	CALCULATE AVERAGE POWER OR  ON TRANSMIT SYSTEMS  CURRENT PATHS THROUGH PULSE  ATIC DIAGRAMS  CURRENT PATHS THROUGH PULSE  O O O O O O  CURRENT PATHS THROUGH PULSE  O O O O O O  SAS IN YOUR PRESENT JOS  1 1 0 0 0 3				•	~	•	•	
CURRENT PATHS THROUGH PULSE 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	CURRENT PATHS THROUGH PULSE 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	CALCULATE AVERAGE POWER		0	•	•	•	•	
ATIC DIAGRAMS CURRENT PATHS THROUGH PULSE 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ATIC DIAGRANS ATIC DIAGRANS AS IN YOUR PRESENT JOS 1 1 0 0 0 3	CURREN	3	0	0	0	0	0	The second secon
AS IN YOUR PRESENT JOB 1 1 0 0 0 S	AS IN YOUR PRESENT JOB 1 1 0 0 0 5	CURRENT PATHS THROUGH			•	•	•	0	
	OO TO INSPECT ANTENNAS	AS IN YOUR PRESENT			0	-	0	-	ANTENNAS

PCT MBRS RESPONDING OVES BY SELECTED GRPS

GPSUMS PAGE 33

ALIGN ANTENNAS ALIGN ANTENNAS TO ANTENNAS TO ANTENNAS TO ANTENNAS TO TECHNICAL DATA TO TECHNICAL DATA TO TECHNICAL DATA TO THE SOF FORCE TO THE SERERAL RU T		SPC S	SPC 5PC	200		200	
DO YOU CLEAN ANTENNAS DO YOU PHYSICALLY ALISM ANTENNAS DO YOU PHYSICALLY ALISM ANTENNAS DO YOU PHYSICALLY ALISM ANTENNAS DO YOU PROUBLESHOOT TO ANTENNAS DO YOU REMOVE OR INSTALL ANTENNAS DO YOU REMOVE OR INSTALL ANTENNAS DO YOU USE OR REFER TO TECHNICAL DATA SENTATIONS OF E OR FIRECTRIC FIELD LIN DO YOU USE OR REFER TO TECHNICAL DATA SENTATIONS OF E CREEKER TO TECHNICAL DATA DO YOU USE OR REFER TO TECHNICAL DATA THE LOADS OF E CREEKER TO TECHNICAL DATA THE LOADS OF THE GENERAL RU THAT TO WE OF REFER TO THE GENERAL RU THAT TO WE OF THAT A MALF WAVE ACT AS THE SHORTER THAN A MALF WAVE ACT AS					000		
DO YOU PHYSICALLY ALIGN ANTENNAS DO YOU TRUBLESHOOT TO ANTENNAS DO YOU TRUBLESHOOT TO ANTENNAS DO YOU TRUBLESHOOT TO ANTENNA CONFON DO YOU TRUBLESHOOT TO ANTENNA CONFON DO YOU REMOVE OR REPLACE CONFONENTS O DO YOU USE OR REFER TO TECHNICAL DATA DO YOU USE OR REFER TO TECHNICAL DATA THAT DO YOU USE OR REFER TO TECHNICAL DATA THAT DO YOU USE OR REFER TO TECHNICAL DATA THAT LOADS OF HOR MAGNETIC FIELD CLIM TATION TO THE ELECTRIC LINES OF PORCE TATION TO THE ELECTRIC LINES OF PORCE TATION TO THE ELECTRIC LINES OF PORCE TATION TO THE GENERAL RU THAT LOADS OF REFER TO THE GENERAL RU THAT LOADS OF REFER TO THE GENERAL RU THAT CONFORMAN A MALTHWAVE ACT AS TO ANTENNA A						•	
DO YOU ELECTRICALLY ALIGN ANTENNAS DO YOU TROUBLESHOOT TO ANTENNA CONTON DO YOU REMOVE OR REPLACE CONTONENTS O DO YOU REMOVE OR REPLACE CONTONENTS O DO YOU USE OR REFER TO TECHNICAL DATA DO YOU USE OR REFER TO TECHNICAL DATA TATIONS OF H OR MAGNETIC FIELD LIN TATIONS OF H OR MAGNETIC FIELD LIN TATION TO THE ELECTRIC LINES OF PORCE DO YOU USE OR REFER TO THE GENERAL RU TATION TO THE GENERAL RU			-	0	00		
TO YOU TROUBLESHOOT TO ANTENNAS DO YOU REMOVE OR HETLACE CONTONENTS O DO YOU REMOVE OR RETLACE CONTONENTS O DO YOU USE OR REFER TO TECHNICAL DATA SEENTATIONS OF E OR REFER TO TECHNICAL DATA SEENTATIONS OF THOR WASHERIC TIELD LIN TO YOU USE OR REFER TO THE SEMERAL RU DO YOU USE OR REFER TO THE SEMERAL RU THE LOADS TO THE SEMERAL RU THE LOADS TO THE SEMERAL RU THE LOADS TO THE SEMERAL RU THE SEMERATOR A MALTHWAVE ACT AS A RE SHORTER THAN A MALTHWAVE ACT AS A RE SHORTER THAN A MALTHWAVE ACT AS		•	•			٥.	
SOUND STANDARDS SOUND ANTERNA CONTRIBUTED TO THE STANDARD SOUND STANDARD SOUND STANDARD SOUND STANDARD SOUND STANDARD SOUND STANDARD SOUND SOUND STANDARD SOUND SOUND SOUND SOUND STANDARD SOUND SOUND STANDARD SOUND SOUND SOUND SOUND STANDARD SOUND		- (	- (			• •	
DO YOU DEFORE OF RETEACT CONTOURNS OF CONTOU		<b>&gt; c</b>	<b>.</b>			<b>-</b>	
DO YOU USE OR REFER TO TECHNICAL DATA  SENTATIONS OF E OR ELECTRIC FIELD LIN  DO YOU USE OR REFER TO TECHNICAL DATA  THAT I ONS OF E OR MACKETLE TO THE  TATION TO THE ELECTRIC LINES OF THE  TATION TO THE ERWERT RAIL THE  TO YOU USE OR REFER TO THE ERWERT RU  THE SHORTER THAN A MALF-WAVE ACT AS  THE SHORTER THAN A MALF-WAVE ACT AS  THE GENERAL DATA  THE SHORTER THAN A MALF-WAVE ACT AS  THE GENERAL BY  THE SHORTER THAN A MALF-WAVE ACT AS  THE GENERAL BY  THE SHORTER THAN A MALF-WAVE ACT AS  THE SHORTER THAN A MALF-WAVE ACT AS	A M M M M M M M M M M M M M M M M M M M						
THENTATIONS OF EOR ELECTRIC FIELD LINE SENTATIONS OF EOR EFER TO TECHNICAL DATA SENTATION TO THE ELECTRIC LINES OF TORCE THAS MAILON TO THE ELECTRIC LINES OF TORCE THAS MAILON TO THE ELECTRIC LINES OF TORCE THAS MAILON TO THE EFERT TO THE EEMERAL RU THE ENDRICH THAN A MALF-MAVE ACT AS INC. ARE LONGER THAN A MALF-MAVE ACT AS INC. ARE SHORTER THAN A MALF-MAVE ACT AS	CONTAINING	•	•			•	
TO TECHNICAL DATA TAGNITIC FIELD LIN TO LINES ON OF THE TO LINES ON OF THE TO THE GENERAL RU							
TACKTIC FIELD LIN TO THE GENERAL ROTATION TO THE GENER	CONTAINING	•	•	0 0	•	•	
TICLING OF THE STATE OF THE STA							
TO THE SENERAL RUEST OF THE SE	SAMETIC LINES	•	•		0	•	
EMERATOR (MALE TO THE GENERAL RU TO THE GENERAL RU MALE THE ACT AS IN MALE THE RU MALE THE RU MALE THE RU TO THE GENERAL RU	I	0	-		•	•	
EMERATOR TO THE GENERAL RU HALF-WAVE ACT AS I TO THE GENERAL RU MALF-WAVE ACT AS	VE! ACT AS				•		
MALFINAVE ACT AS I TO THE GENERAL RU MALFINAVE ACT AS							
TO THE GENERAL RU MALF-WAVE ACT AS		•	-	0	0	-	
TO THE GENERAL RUMALFERMENT ACT AS	TIVE LOADS						
HALF-WAVE ACT AS	THAT ANTERNAS	0	•	0	•	0	
	-						
*****							
THE SOUND THE WEST OF THE PARTY		•	0	0	•	0	
DO YOU WORK WITH MA		0				0	
MORK WITH OR		0		0		0	
		> 0					
03-21 Do YOU WORK WITH COLLINGAR ARRAYS		• •			00	•	
DO YOU USE OR REFER TO THE TERM	SHETIC						
RKING WI							
TOU HEASURE ELECTROMAGNETIC	FIELDS OF	•		0	•	•	
3-24 DO YOU USE OR REFER TO THE TERM FLECTROM	SNETIC	0	0		•	•	
					•	i	
03-25 DO YOU HEASURE ELECTRONAGNETIC RADIATION		0	0		•	•	
DARAGE OF YOU USE OR PEECE TO THE TIME BUASE OF	FIETRIC 161	•			•	•	
NTS IN ANTENNA RADE				,	•		
TO THE TIME P	2	•	•		•	•	
NTS IN ANTENNA IN	NO F						
ON-10 ARE ANY OF THE ANTENNAS YOU NORK ON LINEARL	וערג	•	•	0	0	•	
OS-29 ARE ANY OF THE ANTENNAS YOU WORK ON CIRCULARL	JLARLY	•	•	0	•	•	
					•		
03-30 DO YOU MEASURE OR DETERMINE THE POLARITY	OF ANTENNAS	•	0	0	•	•	
OR MAKE THE		•			•	•	
ANTENNAS OF CORRECT	LENGTH FOR				•		

PCT NBAS RESPONDING .YES' BY SELECTED GRPS

SPEUMS PASE 34

			STREET LABE	36 38		
TASK GROUP SURMARY PERCENT MEMBERS PERFORMING						
0v-15K	250	3PC 9	3°C 37	5PC 5PC 079 080	**	
TO LOAD USING MATCHES TRANSPISSION LINES WHICH ARE NATCHED	•	•	•	•	•	
PI-20 DO YOU WORK MITH TRANSMISSION LINES WHICH ARE MATCHED	•	•	•		•	
PI-21 DO YOU SELECT THE TYPE OF TRANSMISSION LINE MEEDED	•	•	•		•	
AN CHARACTERISTIC	•	•	•		•	
PI-STANCE ILC. TANADARISE OF LINE PROPERTY INTEGRACE (20) OF	•	•	0	0	0	
PILST DO TOU USE OR REFER TO THE TERM CUTOFF FREGUENCY OF	•	•	•		•	
PI-25 DO YOU USE OR REPER TO THE TERM VELOCITY FACTOR (K)	•	•	•		•	
PI-26 DO VOU COMPUTE THE ELECTRICAL LENGTH OF TRANSMISSION	0	•	•	0	0	
TIMES TO TAXILOURA TARGEROLES OF LIMES OF PARTICULAR PROFESSION LIMES OF PARTICULAR	•	•	۰	0	0	
	•	•	•		•	
INCREASES PILATO DO YOU WORK MITH NONRESONANT (FLAT) TRANSMISSION	•	•	•	0	0	
PI-30 DO YOU WORK WITH RESONANT TRANSMISSION LINES WHICH ARE MATCHED TO LOCK HELM FAIR MATCHED	• •	00	00	00	00	
3	0	-	0	0	-	
P2-02 DO YOU INSPECT MAVEGUIDES OR CAVITY RESOMATORS P2-03 DO YOU CLEAN MAVEGUIDES OR CAVITY RESOMATORS P2-04 DO YOU GEND WAVEGUIDES OR CAVITY RESOMATORS	000	-00	000	000	-00	WAVEGUIDES AND CAVITY RESONATORS
2225	0000	0-0-	0000		0-0-	
DO YOU REMOVE OR INSTALL COMPLETE MAYEGUIDES DO YOU REMOVE OR INSTALL MAYEGUIDE SECTIONS DO YOU REMOVE OR INSTALL WINNEY LOADS			0000	0000		
TOO TOO REMOVE OR INSTALL & BENDS	0	-0-	00		- 0	
REMOVE OR INSTALL REMOVE OR INSTALL		-0-	000	000	-0-	
DO YOU REHOVE OR INSTALL	•••		, 00			

かつ ないまましいかいう

-

-

PCT MBRS RESPONDING .YES' BY SELECTED GRPS

and the second of the second o

GPSUMS PAGE 34

		396		SPC	348	300	3	
	W-15K		077	070	010	00	5	
F1003	PZ-20 DO YOU USE OR REFER		0	0	•	٥	•	
000	P2-22 DO TOU USE OR REFER TO	2.	•	00		00	•	
-100	•	•	0	•	•	•	٥	
10014	•	•	•	•	•	•	•	
.100	•	•	•	•	•	•	•	
.00ta	P2-24	•	•	•	•	0	0	
61014	•	•	•	•	٥.	•	•	
1014	P2-28 DO YOU USE OR REFER TO THE GENERAL RULE THAT HOST MALLS RANGE FROM . 2 TO . 8 MAVELENGTHS IN SIZE, MITH . 35	•	•	•	•		•	
F1012	2 P2-24 ARE YOU CONCENSED WITH THE MATERIAL (SUCH AS BRASS) MAICH MAYERINGS ARE MADE OF	•	•	•	•	•	•	
61014		0 31	•	•	•	•	•	
.1014		•	3	•	•	٥	•	
\$101		•	•	•	•	•	•	
P1014	MAKEUIDES		•	0	•	0	•	
11014			•	0	•	•	•	
.1014	B P2-25 ARE MIGH POWER PROBES USED ON WAVEGUIDES OR CAVITY	•	•	•	0	0	•	
P1014	P2-36 ARE LOW POWER	0	0	•	•	•	•	
P.1020	•	•	•	•	•	0	•	
12014	•	•	•	•	•	•	•	
F1022	P2-39 ARE DON'T REMEMBER	•	-	•	•	•	-	
1023	•	•	0	0	0	0	0	
1024	•	•	•	•	•	•	•	

131   4000   2004   2004   2007   2	PCT MBRS RESPONDING .TES. BY SELECTED GRPS		6.5	GPSUNS PAGE		37		
	TASK BROUP SUMBARY PERCENT MEMBERS PERFORMING							
	OY-TOK						<b>5</b> -	
######################################	DO TOU DETERMINE THE POSITIONING OR SIZE OF AVEGUIDES OR CAVITY RESONATORS WITHOUT REFERE	•	•					
######################################		•	•			•	•	
######################################	PERSONAL TOTAL NOTATION TO NAVEGUIDES OF	•	-			0	-	
######################################	PE-15 ARE DON'T REMEMBER THE KIND OF LOINTS USED	•	•				•	
### METHOD OF TURE CAVITY RESONATORS USING INDUCTIVE TURING  ### METHOD OF TURING  ### M	PATE DE TOU TOME CAVITY RESONATORS USING CAPACITIVE	•	•					
THE METHOD OF TURING.	P2-47 DO YOU TUNE CAVITY RESONATORS USING INDUCTIVE T	0	0.0	0				
TRACKLING WARNET THE PREVENCY OF STANALS IN CAVITY  TRACKLING WARNET TO BE OF YOU WORK WITH RYSTRONS  TRACKLING WAS FEET TO BE TO YOU WORK WITH RYSTRONS  TRACKLING WAS GREET TO BE TO WORK WITH RYSTRONS  TRACKLING WAS GREET TO BE TO WORK WITH RYSTRONS  THE FOLLOW OF THE FEET TO BE TO WORK WITH RYSTRONS  THE FOLLOW OF WARNET TO PRINCIPLE OF ELECTRON VELOCITY  HOULLTION USE ON REFER TO ELECTRON ELECTRON VELOCITY  THE FOLLOW OF WAS WITH THE FOLLOW WENT WAS TO WE WITH THE FOLLOW WAS WITH THE FOLLOW WAS WITH THE FOLLOW TO WORK WITH THE FOLLOW WAS WITH WAS WITH WAS WITH THE FOLLOW WAS WITH WAS WI	PARTY DE CONTRACT CANADA CONTRACTOR CONTRACT	• •						
######################################	THE PRESUENCY OF SE	•	-					
######################################	CTUTI. PARAMETRIC	0	•	0	0			1
### ### ##############################	PASSETTONS PROPERTY OF INTERESTREDE	•	•				MPLIFIERS AND OSCILLATORS	
F1-05 DO YOU USE OR REFER TO RIKETRON BUNCHING  F1-04 DO YOU USE OR REFER TO RIKETRON BUNCHING  F1-04 DO YOU USE OR REFER TO RIKETRON BUNCHING  F1-05 DO YOU WORK WITH THANGE-CAVITY KLYSTRONS  F1-05 DO YOU WORK WITH THANGE-CAVITY KLYSTRONS  F1-15 DO YOU WORK WITH TRANGELY KLYSTRONS  F1-15 DO YOU WORK WITH TRANGELY FARAMETRIC  F1-	PA-DA DO YOU USE OR REFER TO FLECTRON TRANSITY	0 0	• •	• •	• •		0.0	
P3-04 00 USE OR REFER TO PRINCIPLE OF ELECTRON VELOCITY  HODULATION  P3-04 DO YOU USE OR REFER TO ELECTRON DUNGHING  P3-05 DO YOU WORK WITH THOSE CAVITY KLYSTRONS  P3-10 DO YOU WORK WITH THREE-CAVITY FLUSES (TWT)  P3-11 DO YOU WORK WITH THREE-CAVITY FLUSES (TWT)  P3-12 DO YOU WORK WITH THREE-CAVITY FRONS  P3-13 DO YOU WORK WITH THREE-CAVITY FRONS  P3-14 DO YOU WORK WITH THREE-CAVITY FRONS  P3-15 DO YOU WORK WITH MAGNETRONS  P3-15 DO YOU WORK WITH MAGNETRONS  P3-15 DO YOU WORK WITH MAGNETRONS  P3-15 DO YOU WORK WITH WAGNETRONS  P3-16 DO YO	PS-08 DO YOU USE OR REPER TO NY LOSSES IN	•	•					
P3-07 DO 700 USE OR REFER TO ELECTRON BUNCHING P3-08 DO 700 WORK WITH THO-CAVITY KLYSTROMS P3-10 DO 700 WORK WITH THO-CAVITY KLYSTROMS P3-11 DO 700 WORK WITH TRAYELING-MAYE THEES ITWI) P3-12 DO 700 WORK WITH TRAYELING-MAYE THEES ITWI) P3-13 DO 700 WORK WITH MAGNETRANS P3-14 DO 700 WORK WITH MAGNETRANS P3-15 DO 700 WORK WITH WAGNETRANS P3-16 WORK WITH WAGNETRANS P3-16 WORK WITH WAGNETRANS P3-17 WORK WITH WAGNETR	FIGURE TO YOU USE OR REFER TO PRINCIPLE OF	0	0				•	
P3-10 DO YOU WORK WITH TRAVELING-MAYE TUBES (TWT)  P3-10 DO YOU WORK WITH TRAVELING-MAYE TUBES (TWT)  P3-11 DO YOU WORK WITH TRAVELING-MAYE TUBES (TWT)  P3-12 DO YOU WORK WITH TRAVELING-MAYE TUBES (TWT)  P3-13 DO YOU WORK WITH TRAVELING-MAYE TUBES (TWT)  P3-14 DO YOU WORK WITH TRAVELING-MAYE TUBES (TWT)  P3-15 DO YOU WORK WITH TRAVELING-MAYE TUBES (TWT)  P3-15 DO YOU WORK WITH TRAVELING-MAYE TUBES (TWT)  P3-16 DO YOU WORK WITH TRAVELING-MAYE TUBES (TWT)  P3-16 DO YOU WORK WITH TRAVELING-MAYE TUBES (TWT)  P3-17 DO YOU WORK WITH TRAVELING-MAYE TUBES (TWT)  P3-19 DO YOU WORK WITH TRAVELING-MAYE TUBES (TWT)  P3-19 DO YOU WORK WITH TRAVELING-MAYE TUBES (TWT)  P3-19 DO YOU WORK WITH TRAVELING-MAYE TRAVELY  P3-19 DO YOU WORK WITH TRAVELING-MAYE TUBES (TWT)  P3-19 DO Y	P3-07 BO YOU USE OR REFER TO SLECTRON BU	0	0	0		0		
P3=10 00 YOU WORK WITH REPLEX KLYSTRONS P3=11 00 YOU WORK WITH TRAVELING-WAVE TUBES (TWT) P3=12 00 YOU WORK WITH TRAVELING-WAVE TUBES (TWT) P3=12 00 YOU WORK WITH TRAVELING-WAVE TUBES (TWT) P3=13 00 YOU WORK WITH NONDEGENERATIVE PARAMETRIC ANPLIFIERS P3=14 00 YOU WORK WITH MAGNETRONS P3=15 00 YOU WORK WITH MAGNETRONS P3=16 00 YOU WORK WITH MAGNETRONS P3=16 00 YOU CLEAN KLYSTRONS OR TWT ELECTRICALLY P3=17 00 YOU TRAVELESHOOT KLYSTRONS OR TWT P3=20 YOU TRAVELESHOOT KLYSTRONS OR TWT P3=20 YOU MENDYE OR REPLACE CONPLETE KLYSTRON OR TWT P3=22 00 YOU MENDYE OR REPLACE CONPLETE KLYSTRON OR TWT P3=22 00 YOU MENDYE OR REPLACE CONPLIETER P3=22 00 YOU WORK WITH PARAMETRIC ANPLIFIERS P3=24 00 YOU UNSPECT PARAMETRIC ANPLIFIERS	P3-06 DO YOU MORK WITH THREE-CAVITY KLYST	00		• •		00		
##PLIFIERS ###   ####   ###   ###   ####   ###   ####   ####   ####   ####   ####   ####   #####   ####   ####   #####   #####   #####   ######	P3-10 DO YOU WORK WITH REFLEX KLYSTRONS P3-11 BO YOU WORK WITH TRAVELING-WAVE TU P3-12 DO YOU WORK WITH NONDEGENERATIVE P	000	000	000	000			
P3-19 DO 70U MORK WITH MASNETRONS P3-15 DO 70U MORK WITH MASNETRONS P3-15 DO 70U INSPECT KLYSTRONS OR TWI P3-15 DO 70U CLEAN KLYSTRONS OR TWI ELECTRICALLY P3-19 DO 70U TUNE KLYSTRONS OR TWI ELECTRICALLY P3-19 DO 70U TUNE KLYSTRONS OR TWI MECHANICALLY P3-19 DO 70U PERFORM OPERATIONAL CHECKS OF KLYSTRONS OR  P3-20 DO 70U MENOVE OR REPLACE COMPLETE KLYSTRON OR TWI P3-21 DO 70U MENOVE OR REPLACE KLYSTRON OR TWI COMPONENTS DO 70U MENOVE OR REPLACE KLYSTRON OR TWI COMPONENTS DO 70U MENOVE OR REPLACE AMPLIFIERS DO 70U LINSPECT PARAMETRIC AMPLIFIERS	PAPLIFIERS PA-13 DO YOU WORK WITH UP-CONVERTER PARA	•		•				
P3-14 DO TOU CLEAN KLYSTRONS OR THE P3-14 DO TOU CLEAN KLYSTRONS OR THE RECTRICALLY P3-15 DO TOU TUNE KLYSTRONS OR THE RECTRICALLY P3-16 DO TOU TERFORM OFFRATIONAL CHECKS OF KLYSTRONS OR THY P3-20 DO TOU TROUBLESHOOT KLYSTRONS OR THY P3-20 DO TOU REMOVE OR REPLACE COMPLETE KLYSTRON OR THY P3-22 DO TOU TROUBLESHOOT KLYSTRON OR THY P3-23 DO TOU TROUBLESHOOT KLYSTRON OR THY P3-24 DO TOU INSPECT PARAMETRIC AMPLIFIERS OO DO DO DO P3-24 DO TOU CLEAN PARAMETRIC AMPLIFIERS	PARIS OF YOU MORK MITH HABINITONS	00		00	0.0	00		
P3-18 DO YOU TUNE KLYSTRONG OR TWT MECHANICALLY TWI  TWI  P3-20 DO YOU PREPURM OPERATIONAL CMECKS OF KLYSTRONS OR O O O O O O O O O O O O O O O O O O	P3-14 DO YOU CLEAN KLYSTRONS OR THIT P3-17 DO YOU TUNE KLYSTRONS OR THE REECT	00	00	. 0 0			9.0	
THI P3=20 DO YOU TROUBLESHOOT KLYSTRONS OR THIT OO	P3-18 DO YOU TUNE KLYSTRONS OR THT MECHANICALLY P3-19 DO YOU PERFORM OPERATIONAL CMECKS OF KLYSTRONS	00	00		00		90	
P3-21 DD YOU REMOVE ON REPLACE COMPLETE KLYSTRON ON THY O O O O O O O O O O O O O O O O O O O	PS-20 GO YOU TAGUELESHEDT KLYSTRONS OR T	•	0					
PS-24 DO TOU INSPIRET PARAMETRIC APPLIFIENS	P3-21 DO YOU REMOVE OR REPLACE COMPLETE KLYSTRO P3-22 DO YOU REMOVE OR REPLACE KLYSTROM OR THY	00	00	00	00		0.0	
	PS-28 DO YOU INSPECT PARAMETRIC AMPLIFIERS	00	00					

PCT MBRS RESPONDING .YES. BY SELECTED GRPS

こうして 大事大りのかいしいと

ersuns Pace 30

Note   Principles of   Note	Correct   Corr			h a																						
### ##################################	Corn			0.0				•				5	٠	•	٠	٠		٠	•			•				
	POTTON  POTTON				_	-			•	0.0		•		•	•		•		•							
OF PARAMETRIC  C. AND LITTERS  OF MASHETRONS  OF MA	OVER THE PROPERTY OF PARAMETRIC AND LEGENDON PARAMETRIC AND LOCKES OF P					_			_			_		_	•	_	_	_	_	_	_	_			_	_
	PARAMETRIC AMPLIFIENS  ON REPLACE CHOPLETE PARAMETRIC  ONE OR REPLACE CHOPLETE PARAMETRIC  ONE OR REPLACE CHOPLETE MASMETRIC  ONE OR REPLACE CHOPLETE MASMETRIC  ON REPLACE CHOPLETE  ON REPLACE  ON REPRENTIONS  ON REPRENTIONS								-			_			٠	_				_	_					_
PARAMETRIC C. AMPLITIER OF PARAMETRIC C. AMPLITIER OF PARAMETRIC C. AMPLITIER OF PARAMETRIC OF PARAMETRI	PARAMETRIC AMPLIFIENS  ONTH OPERATIONAL CHECKS OF PARAMETRIC  MACHICERONS  ONTH REPLACE COMPLETE PARAMETRIC  ONE OR REPLACE COMPLETE PARAMETRIC  ONTH OPERATIONAL CHECKS OF MAGMETRONS  ANAMETRONS  ONTH REPLACE COMPLETE MAGMETRONS  ONTH REPLACE COMPLETE OF MACHINE PRINCIPLES OF MACHINES OF MACHI				•			-0	-	•			•		•		-	•	•		•	•		•	•	-
PARAMETRIC  C. AMPLITIENS  PARAMETRIC  C. AMPLITIENS  PARAMETRIC  C. AMPLITIENS  PARAMETRIC  C. AMPLITIENS  PARAMETRIC  PARAME	PARAMETRIC ANPLIFIES  ONE OF RETLACE CONPLETE PARAMETRIC  ONE OF REPLACE CONPLETE PARAMETRIC  ONE REPLACE CONPLETE PARAMETRIC  ONE REPLACE CONPLETE PARAMETRIC  ONE REPLACE CONPLETE MASHETRIC  ONE REPLACE CONPLETE  ONE REPLACE  ONE REP	200	••	00	•			90	•	• •		•	•	•	•	•	•	•	•	•	•	•	0	•	•	•
			6	TE PARAMETRIC	TRIC AMPLIFIER		National Control of the Control of t	•		TE MASMETTON	Tine Principles	TING PRINCIPLES	PRINCIPLES	PRINCIPLES	PRINCIPLES	PRINCIPLES	PRINCIPLES	TING PRINCIPLES	PRINCIPLES	RINCIPLES	RINCIPLES	PRINCIPLES	PRINCIPLES	PRINCIPLES	PRINCIPLES	PRINCIPLES
100   1   100		DY-19K	P3-24 00 70U TUN P3-27 00 70U PER	AMPLIFIERS P3-28 B0 YOU TRO P3-29 B0 YOU REN	P3-30 DO YOU RENOVE	DO YOU INSPECT MAGNET	PA-33 DO YOU ADJUST TARKETHOUS	TORN OPERATIONAL	JOLESHOOT MAGNETR	20 3A	DO YOU USE OR REFER TO THE O	ANT OF SHAPE	P3-41 DO YOU USE OF REPER THO-CAVITY REVERSE CATC	C OR REFER	13-43 BO 100 USE ON REPER	PS-44 DO TOU USE OR REPER TO T	C OR REFER TO	THE CANTY KLYSTROMS CONTROL OF	E OR REFER TO THE	REPERT TO THE	BEFLEX KLYSTED SELECT TO THE	OR REFER TO THE	PA-51 DO YOU USE OR REFER TO THE	COR REFER TO THE	E OR REFER TO THE	E OR REFER TO THE

REGISTERS 200 SPEUME PAGE 940 8PC 8PC 076 077 PIOSE P3-55 DO YOU USE ON REPER TO THE OPERATING PRINCIPLES OF REPLEX KLYSTRON OUTPUT LEADS
PLOST P3-54 DO YOU USE ON REPER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES FILAHENTS
PLOST P3-55 DO YOU USE ON REPER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES MODULATOR SRIDS
PLOST P3-56 DO YOU USE ON REPER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES MODULATOR SRIDS
PLOST P3-50 DO YOU USE ON REPER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES MELINES
PLOST P3-51 DO YOU USE ON REPER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES MELINES
PLOST P3-52 DO YOU USE ON REPER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES MAGNETS
PLOST P3-52 DO YOU USE ON REPER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES MAGNETS
PLOST P3-53 DO YOU USE ON REPER TO THE OPERATING PRINCIPLES OF TRAVELING-WAVE TUBES MAGNETS CAVITIES CAVITIES OF PERFORM TASKS ON PARAMETRIC AMPLIFIER VARACTOR O YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER REVERSE-SHIFT REGISTERS 91115 91-04 DO YOU TRACE THE DATA FLOW THROUGH LOGIC DIAGRAMS OF OTHER TYPE OF REGISTERS PIOST P3-64 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER FERRITE PILOT P3-68 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER PERRITE SILLS SI-OB DO YOU TRACE THE DATA FLOW THROUGH LOGIC DIAGRAMS OF CIRCULATORS PLOTE PA-65 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER SIGNAL PIOST PA-64 DO YOU PERFORM TASKS ON PARAMETRIC AMPLIFIER IDLER PEGISTERS
9:113 41-54 50 700 USE ON REFER TO LOGIC SYMBOLS OF STORAGE NO YOU USE OR REPER TO LOGIC SYNBOLS OF SHIFT B ON ANDDE COOLING PINS ON COUPLING LOOPS ON HEATER LEADS ON RESONANT CAVITIES ON CATHODES TORAGE REGISTERS PET HORS RESPONDING .YES. BY SELECTED GRPS 07-78K TASK GROUP SUNNARY PERCENT HENGERS PERFORMING CAVITIES RESISTERS P1102 P3-49 35836

DIGITAL TO ANALOG CONVERTERS STORAGE DEVICES 25 Ş SPENNE PAGE 25 250 200 91129 93-09 DO YOU COMPUTE ANALOG VOLTAGES FOR GIVEN BINARY
COUNTS IN ELECTRONIC DIGITAL-TO-ANALOG 10/A) CONVERTERS
91130 93-05 DO YOU PERFORM SAMPLE FUNCTION TASKS ON VARIABLE TINE
91131 93-04 DO YOU PERFORM HOLD FUNCTION TASKS ON VARIABLE TINE
ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS
91132 93-07 DO YOU PERFORM COMPARTER CIRCUITS
91131 93-05 DO YOU PERFORM COMPARE FUNCTION TASKS ON VARIABLE
TINE ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS
91131 93-05 DO YOU PERFORM DIGITIZE FUNCTION TASKS ON VARIABLE
TINE ANALOG-TO-DIGITAL (A/D) CONVERTER CIRCUITS
91131 93-09 DO YOU PERFORM DOM'T REMEMBER WHICH FUNCTION TASKS VOLTAGES

92-03 DO YOU USE OR REFER TO THE GENERAL RULE THAT THE
COUNT IN ELECTRORECHANICAL DISITAL-TO-ANALOS (D/A)
CONVERTERS 18 DETÉRNINED BY ADDING THE DENOMINATORS OF THE ANALDS (D/A) CONVERTERS, ANALOS-TO-DISITAL (A/D)
CONVERTERS, OR SINARY-TO-DECIMAL READOUT CONVERTERS
93-02 DO YOU COMPUTE OUTPUT VOLTASES FOR ELECTROMECHANICAL
DISITAL-TO-AMALOS (D/A) CONVERTERS FOR SIVEM IMPUT DO YOU USE OR REFER TO VOLATILITY OF MEMORY SYSTEMS TO YOU USE OR REFER TO LOGIC SYMBOL OF DELAY LINES IN YOUR PRESENT JOB. DO YOU WORK JIWN DIGITAL-TO-SHIFT REGISTER AFTER A SPECIFIED NUMBER OF SHIFT PULSES CONVERTERS
43-14 DO YOU PERFORM ANY TASKS ON MECHANICAL ANALOG-TO-DIGITAL (A/D) CONVERTERS TOU BORK BITH DIGITAL COUNTERS, REGISTERS, O OR REFER TO MAGNETIC CORES OR REFER TO MAGNETIC DRUMS OR REFER TO MAGNETIC TAPES OR REFER TO ACCESS TIME OR SPEED OR F SYSTEMS. TO REFER TO WORD CAPACITY OF MEMORY CONVERTERS 63-13 DO YOU USE OR REPER TO DIGITAL FUNCTION OF A/D BILLY GE-12 DO YOU USE ON REFER TO COMPARE FUNCTION OF A/D 93-09 DO VOU PERFORM DON'T NEMEMBER TILL CONVERTER ON VARIABLE TIME AMALOG-TO-DIGITAL (A/D) CONVERTER 43-10 DO YOU USE OR REFER TO SAMPLE FUNCTION OF A/D GII34 G3-II DO YOU USE OR REFER TO HOLD FUNCTION OF A/D PET HORS RESPONDING .YES" BY SELECTED GRPS DY-18K TASK GROUP SURBARY PERCENT HENDERS PERFORMING 91124 02-00 91121 92-08 . .... 91136 .... 01120 91130 91139 91127

一人日本 大大大大 一大大


TASK GROUP SUNHARY						
PERCENT MEMBERS PERFORMING						
0Y-15K	SPC 9	SPC SPC 077 076	250	¥2	33	
RILLO RI-GI DO VOU MORK MITH PHANTASTRON CIRCUITRY IN YOUR	•	-	0	•	-	PHANTASTRONS
RITOL RESILE TO VOUR PRESENT JOS DO YOU WORK MITH SCHNITT TRIBERA	•	•	0	-	•	
RILAZ RZ-02 DO YOU TRACE DATA FLOW THROUGH SCHHITT TRIGGER	•			•	•	SCHMITT TRIGGERS
RILES RE-03 DO TOU USE OR REFER TO SCHMITT TRISSER LOGIC SYMBOLS	•		,	0	-	
RAS-01 IN YOUR PRESENT JOS DO YOU FABRICATE HULTICONDUCTOR	72	-	24	52	=	MOTTAGE TIMES
RII45 R3-02 DO YOU FABRICATE COAXIAL CABLES	116	19 21	1 23	•	13	CABLE FABRICATION
SI-OI IN YOUR PRESENT JOB DO YOU PERFORM ANY TASKS ON	22	1 52	7 20	-	20	and the same of th
MIXIN BO SLEDIT MIXIN NO SUNT LAND CO. DO DO CO. CO. IS.	-		•	•	•	INPUT/OUTPUT DEVICES
SILES SICOL DECOME NIXIE LIGHT DECODER STSTEMS USING	•	-	. 0	•	0	
	1.2	91	34		-	PHOTO SENSITIVE DEVICES
JOB DO YOU WORK WI	=	202	-	0	-	1
	~ •	• •	2	٠.	00	SYNCHRONOUS VIBRATIONS
SP-04 BO YOU USE OR REPER TO EXCITATION	•		200	• •	•	(CHOPPER CIRCUITS)
REFER TO VOLTAGE-CUR	•	•	200	0	•	
SIISS SI-DE DO YOU USE SERVES IN CONJUNCTION BITH CHOPPER	•	13		•	-	The second secon
	•		91 0	•	-	
CIRCUIT OPERATION SIIST \$2-08 DO YOU USE ERROR SIGNAL DEVICES IN CONJUNCTION MITH	9	71		•	-	
CHOPPER CIRCUIT OPERATION						
CIOPTER CIRCUIT OFFEATION CIRCUITS IN CONCURCTION WITH	•		23	0	-	
TILES TI-OI DOES YOUR PRESENT JOS INVOLVE ANY TASKS DEALING WITH	0	0	0	0	0	
00 YOU	•		0	•	•	
TILE TIED DO TOU CHAN INTRARED STRIPES	00	00	00	00	00	INFKAKED
TI-05 DO YOU OPERATE INFRARED SYSTEMS	•			0	•	
11-04 00 400	•		0	0	0	
TILES TI-07 DO YOU TROUBLESHOOT MAJOR ASSEMBLIES OF INFRARED	•			•	•	
TILLS TI-UB DO YOU TROUBLESHOOT DOWN TO INFRARED SYSTEM	0	0	0	0	0	And the state of t
COMPOSENT PARTS	•			•	c	
STATE OF STA				•		
TILES TITLE BO TOU NEMOVE ON NETLACE INFRANCO SYSTEM	0	•	0	0	•	

LASERS 38 -GPSUNE PAGE 950 SPC 076 TIITS TI-15 DO YOU USE OR REFER TO BEACK BODIES
TIITS TI-15 DO YOU USE OR REFER TO BEACK BODIES
TIITS TI-16 DO YOU USE OR REFER TO ASSORPTION
TIITS TI-19 DO YOU USE OR REFER TO ASSORPTION
TIITS TI-20 DO YOU USE OR REFER TO ASSORPTION
TIITS TI-20 DO YOU PERFORM TASKS ON TARGET BUTTONS
TIIDS TI-22 DO YOU PERFORM TASKS ON COULAR LENSES
TIIDS TI-22 DO YOU PERFORM TASKS ON CORRECTION LENSES
TIIDS TI-22 DO YOU PERFORM TASKS ON SILTERS
TIIDS TI-22 DO YOU PERFORM TASKS ON SILTERS
TIIDS TI-22 DO YOU PERFORM TASKS ON PILTERS
TIIDS TI-22 DO YOU PERFORM TASKS ON SILTERS
TIIDS TI-22 DO YOU PERFORM TASKS ON PLANE MIRRORS
TIIDS TI-27 DO YOU PERFORM TASKS ON PLANE MIRRORS
TIIDS TI-27 DO YOU PERFORM TASKS ON PLANE MIRRORS
TIIDS TI-27 DO YOU PERFORM TASKS ON PLANE MIRRORS LASER SYSTEMS
TIPS 72-07 DO YOU TROUBLESHOOT HAJOR ASSEMBLIES OF LASER
SYSTEMS
TIPS 72-09 DO YOU TROUBLESHOOT TO COMPONENT PARTS OF LASER
TIPS 72-09 DO YOU REHOVE OR REPLACE HAJOR ASSEMBLIES OF LASER
TIPS 72-09 DO YOU REHOVE OR REPLACE COMPONENT PARTS OF LASER
TIPS 72-10 DO YOU USE OR REFER TO ANGSTROMS (A)
TIPS 72-12 DO YOU USE ON REFER TO ANGSTROMS (A)
TIPS 72-12 DO YOU USE ON REFER TO SKOUND STATE PONTANCOLS ENISSION TINULATED ENISSION OMERENCE ON INCOMERENCE NVERSION LEVEL FULL SILVERED (1008 REFLECTIVE) REFER TO ANGSTRONS (A)
REFER TO ELECTRON EMERGY LEVELS
REFER TO EXCITED STATE
REFER TO EXCITED STATE
REFER TO PACKET OF RADIATION PAR REGION INTERNEDIATE REGION NEAR REGION LASERS
11187 72-02 BO YOU INSPECT LASER SYSTEMS
11187 72-03 BO YOU CLEAM LASER SYSTEMS
11189 72-04 BO YOU CLEAM LASER SYSTEMS
11190 72-05 BO YOU OPERATE LASER SYSTEMS
11191 72-04 BO YOU TROOSLESHOOT BIRE CORRECTIONS OF PET MBAS RESPONDING 17ES' BY SELECTED GAPS DY-TSK PERCENT MEMBERS PERFORMING

WITH HALF SILVERED (PES REFLECTIVE)
ACTION-MENON MELIUM-MENON MENON-MELIUM-MELIUM ARGON MELIUM ARGON MENON-MELIUM ARGON MENON-MELIUM ARGON MENON-MELIUM
MORK WITH GALLIUM ARSENIDE.  PRESENT JOB DO YOU WORK WITH DISPLAY FUBES.  CT VIEW STORAGE (DVST) OR NULTIPLE NODE.  S. AMMST.  INSPECT DVST OR MMST.  CLEAN DVST OR MMST.  CREAN DVST OR CALIBRATE DVST OR MMST.  TROUBLESHOOT DVST OR MMST.
2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5

		1		1	-				
							1		
						_			
						5			
						SE			
						DE AND POWER			
		¥ 5	-00-	0-	•	-	-	-	
0.01						-		_	
64 39V4 SHOELD		28	0000					-	
3		35		. ~ ~	~	•	•	•	
		0-61-71			10				
5		38	0000	000	0	•	•	•	
-		2 1 1				_	-	-	
		32							
		350		. 0 -	-	0	•	•	
					-				
				1	1				
					ON T	=	2	2	
					AMPLIFICATION AND	-	3	ENTS AND PERFORMED	
			ě,		1	2	=		
			. 25	25	2	5	3		
			5 - 3	5 - 3	2	50	-	3	
			E 7.	3 5	=	1	4	27	
=			5 2 2	25	33	2	1	1	
•		19 5	N N N		X	9	9	N C	
213			222	2 2 2	9	-	=	-	
313		DY-13K	2 X X	222		1	1		
-		6	222		20	=	=	30	
	=		E		200	90		2	
7					=	36	36	×	
PCT HORS RESPONDING .YES' BY SELECTED GRPS	TASK GROUP SUMMARY PERCENT MEMBERS PERFORMING		UIZGO UI-17 DO YOU PERFORM TASKS ON INPUT DEVI UIZGO UI-17 DO YOU PERFORM TASKS ON STORAGE DE UIZGE UI-18 DO YOU PERFORM TASKS ON ARITHMETIC	3 3 3	3 =	UIZSE UZ-DZ DO YOU USE LOGARITHMS TO COMPUTE OUTPUT POWER IN DECIDELS	UIZET UZ-OJ DO YOU USE LOGARITHMS TO COMPUTE ATTENUATION IN DECIDELS	ULZES UZ-G4 DUMNY TASK TO IDENTIFY INCUMES	
9	25		200	200	2-01 00 TOU	2	2.	Ì.	
0	2		200	888	8 5	200	2	24	
2	2 2			2 7	9 =	2-02 DO V	2-03 00 DEC 1861S	-0	
=	-		553	333	3	30	3 -	3 -	
=	ENC ENC		2 22		52	25	26.7	2	
2			555	555	3	5	3	3	

.



AD-A046 073

AIR FORCE OCCUPATIONAL MEASUREMENT CENTER LACKLAND A--ETC F/G 5/9 AUTOMATIC FLIGHT CONTROL SYSTEMS SPECIALIST AFSC-32550.(U) SEP 77 T J O'CONNOR, F B BOWER

NL

UNCLASSIFIED










END DATE FILMED

1 -79

## 20FZ ADA 046073



NATIONAL BUREAU OF STANDARDS MICROCOPY RESOLUTION TEST CHART

## SUPPLEMENTAR

## INFORMATION

UNCLASSIFIED	P	1. 11. 11
SECURITY CLASSIFICATION OF THIS PAGE (When Date	Entered)	trected
REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER		3. RECIPIENT'S CATALOG NUMBER
AFPT 90-325-222	AD A046 67.	B/BEN
4. TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVERED
Automatic Flight Control Systems Specialist AFSC 32550		FINAL
		April 77 - Jun 77
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s)		8. CONTRACT OR GRANT NUMBER(s)
Thomas J. O'Connor Frederick B. Bower, Jr.		
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Occupational Survey Branch		AREA & WORK ONLY HOMBERS
USAF Occupational Measurement Center		NA
Lackland AFB TX 78236		17.
SAME AS ITEM 9		12. REPORT DATE
		22 September 1977
		13. NUMBER OF PAGES
		44
14. MONITORING AGENCY NAME & ADDRESS(II different from Controlling Office)		15. SECURITY CLASS. (of this report)
		UNCLASSIFIED
		UNCLASSIFIED
		SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)		1
Approved for public release; distribution unlimited		
17 DISTRIBUTION STATEMENT (-1 th. at.	in Black 20 II dillocation	Page 1
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)
Electronic principles Electronics

Basic electronics

Avionics

Electronic equipment

Electronic technicians

Air Force training

Teaching methods

Training

20. ABSTRACT (Continue on reverse side it necessary and identity by block number)
This report summarizes the results of the administration of the Electronic Principles Inventory to airmen assigned as Automatic Flight Control Systems Specialist (AFSC 32550). This report gives a detailed listing of the technical tasks and knowledge needed to perform the jobs within the specialty or career ladder.

CONTINUED

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

## UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

This specialty has the following functions:

Inspects, troubleshoots, removes, repairs, installs, adjusts, and modifies automatic flight control systems, components, and test equipment. Performs inspection and maintenance on automatic flight control systems. Repairs and maintains automatic flight control systems. Supervises automatic flight control systems personnel.

UNCLASSIFIED